

ANNEXURE – V

Maharashtra University of Health Sciences, Nashik
Inspection Committee Report for Academic Year 2023-24

Clinical Material in Hospital

Faculty:- Nursing

Name of College / Institute:- Pooja Nursing College, Bhandara

HOSPITAL DETAILS

Sr. No.	Particulars to be verified	Adequate / Inadequate
1	The Institute / College shall execute a MoU with any institute for affiliation of hospital in addition to minimum 100 bedded own / parent Hospital (Affiliated hospital must be 50 bedded or more.)	Adequate
a	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.:	Adequate
b	Student Bed Ratio for UG & PG to be verified: (As per MSR) 1:3	Adequate
c	Average Bed Occupancy in % : (Minimum 75%) 80%	Adequate
d	Clinical facilities for PG to be verified: (As per MSR)	
	i) Whether OPD in functioning to be verified	Adequate
	ii) Total No of OPD (on the day of inspection)	Adequate
	iii) Average Number of patients attending OPD (current year) 4250000	Adequate
	iv) Average Number of Delivery (current year) 9598	Adequate
	v) Average Number of abnormal Delivery (current year) 2105	Adequate
	<ul style="list-style-type: none"> • As per Central Council Norms / University Norms, above Infrastructure must be available at College. • If Infrastructure is available, then mark “Adequate” & do not attach any documents. • In case of “Inadequate”, if must be mark as “Inadequate” with evidence. 	

Dean / Principal Stamp & Signature

Principal
Pooja Nursing College
Bhandara - 441904

POOJA NURSING COLLEGE, BHANDARA

CLINICAL FACILITY

-NAME OF THE PARENT HOSPITAL ALONG WITH ADDRESS	NUMBER OF BEDS
PES HOSPITAL AND RESEARCH CENTRE, BHANDARA	300
NAME OF THE AFFILIATED HOSPITAL ALONG WITH ADDRESS	NUMBER OF BEDS
DISTRICT HOSPITAL, BHANDARA	482
LAKSH HOSPITAL MULTISPECIALITY CLINIC, BHANDARA	100
CITY MULTISPECIALITY HOSPITAL, BHANDARA	100
SHLOK HOSPITAL, BHANDARA	100
SPARSH MULTISPECIALTY HOSPITAL, BHANDARA	100
SAI SUMAN ORTHOPAEDIC & CHILD HOSPITAL, BHANDARA	100
SHRIKRISHNA HRUDAYALAYA & CRITICAL CARE CENTRE, NAGPUR	100
NELSON MOTHER AND CHILD HOSPITAL, NAGPUR	100
KSHIRSAGAR CHILD HOSPITAL, BHANDARA	50
MATOSHREE LAPROSCOPY & MATERNITY HOSPITAL, BHANDARA	50
SUKHAD NURSING HOME, BHANDARA	50
SAWALI NURSING HOME, BHANDARA	50
MANAS CLINIC AND BABA REHABILITATION AND DE-ADDICTION CENTRE, AMRAVATI	85
TOTAL	1767


Principal
Pooja Nursing College
Bhandara - 441904

Bhondekar Sanskrutik, Krida & Samajik Shikshan Sanstha, Bhandara.
PES Hospital & Reserch Center, Bhandara.

Reg. No. DHB/BNHA/019/14



पेस हॉस्पिटल अँड रिसर्च सेंटर, भंडारा.

बँक कॉलनी, सहकार नगर, किसान चौक, भंडारा. 441904.

07184 - 298108

email : pes.bhahospital123@gmail.com

२४ तास

आवृत्तिक सेवा

Outword No :-

Date :- 14/01/2021

UNDERTAKING

I Dr. Ashwini Narendra Bhondekar W/o Mr. Narendra B. Bondekar, aged 37 years resident of at Kisan Chowk, Bank Colony, Sahakar Nagar, Bhandara would like to submit the following undertaking -

1. I am lifetime member of the trust named Bhondekar Sanskrutik Krida Va Samajik Sikshan Sanstha, at Kisan Chowk, Bank Colony, Sahakar Nagar, Bhandara occurred for member of trust.
2. Pooja Nursing College (Basic B.Sc. Nursing, Post Basic B.Sc. Nursing & M.Sc. Nursing) is established and managed by Bhondekar Sanskrutik Krida Va Samajik Sikshan Sanstha, Bhandara.
3. PES Hospital & Research Center is owned by Bhondekar Sanskrutik Krida Va Samajik Sikshan Sanstha, Bhandara, Maharashtra- India at the distance 0 km from Pooja Nursing Institute, Kisan Chowk, Bank Colony, Sahakar Nagar, Bhandara.
4. My Hospital would continue to function as "Parent Hospital" of this College named Pooja Nursing College, Bhandara for Basic B.Sc. Nursing (4 Years), Post Basic B.Sc. Nursing (2 Years) & M.Sc. Nursing (2 Years) managed by the trust for life time.
5. I would not allow the hospital to be treated as a "Parent Hospital" to any other nursing institution / College in future.

Date :- 14/01/2021

Place :- Bhandara

Principal
Pooja Nursing College
Bhandara

(Signature)
Principal
Pooja Nursing College
Bhandara

(Signature)
PES Hospital &
Research Centre
Bhandara
Chairman
PES Hospital & Research
Center, Bhandara

(Signature)
Principal
Pooja Nursing College
Bhandara - 441904




पूजा नर्सिंग कॉलेज भंडारा
महाराष्ट्र MAHARASHTRA

© 2020 ©

AY 781131

के. पी. भुरे } क्रमांक- 6229
स्टॅम्प व्हेंडर भंडारा } किंमत- 900/-
ला.नं. 4/९७-९८ } दिनांक- १२/०१/२०२१
मुद्रांकाचा उपयोग
कोड नं. ४७०९००४ परशरत्नामा

डा. अश्विनी भुरे



A. B. BURE



UNDERTAKING

I Dr. Ashwini Narendra Bhonekar W/o Mr. Narendra B. Bondekar, aged 37 years resident of at Kisan Chowk, Bank Colony, Sahakar Nagar, Bhandara would like to submit the following undertaking -


1. I am lifetime member of the trust named Bhonekar Sanskrutik Krida Va Samajik Sikshan Sanstha, at Kisan Chowk, Bank Colony, Sahakar Nagar, Bhandara accrued for member of trust:


Signature
Principal
Pooja Nursing College
Bhandara - 441904


2. Pooja Nursing College (Basic B.Sc. Nursing, Post Basic B.Sc. Nursing & M.Sc. Nursing) is established and managed by Bhondekar Sanskrutik Krida Va Samajik Sikshan Sanstha, Bhandara.
3. PES Hospital & Research Center is owned by Bhondekar Sanskrutik Krida Va Samajik Sikshan Sanstha, Bhandara, Maharashtra- India at the distance 0 km from Pooja Nursing Institute, Kisan Chowk, Bank Colony, Sahakar Nagar, Bhandara.
4. My Hospital would continue to function as " **Parent Hospital** " of this College named Pooja Nursing College, Bhandara for Basic B.Sc. Nursing (4 Years), Post Basic B.Sc. Nursing (2 Years) & M.Sc. Nursing (2 Years) managed by the trust for life time.
5. I would not allow the hospital to be treated as a "Parent Hospital", to any other nursing institution / College in future.

Date :- 14.01.2021

Place :- Bhandara


Principal
Pooja Nursing College
Principal
Pooja Nursing College
Bhandara


Rajesh Y. Rauf
NOTARY
Regd. No. 20287
Sant Tukadoji Ward,
Near LIS Office, Bhandara (M.S.)


PES Hospital &
Research Centre
Bhandara
Chairman
PES Hospital & Research
Center, Bhandara


Principal
Pooja Nursing College
Bhandara - 441904


CANCELLED CANCELLED CANCELLED





NOTARIAL REG.
ENTRY NO. 472
DATE: 14-1-2021



TESTATION OF AFFIDAVIT
I do solemnly affirm that this is my name
and signature / Mark and that the
contents of this affidavit are true.


Signature of Deponent


Signature of Notary


Rajesh Y. Raut
NOTARY
Regd. No. 20287
Sant Tukadoji Ward,
Near L.C. Office, Bhandara (M.S.)


Pooja Nursing College
Bhandara - 441904



महाराष्ट्र शासन
आरोग्य सेवा
जिल्हा शल्य चिकित्सक
जिल्हा रुग्णालय भंडारा

Certificate of Registration under Section 5 of the Bombay Nursing Homes Registration Act, 1949
(नियम ५ अन्वये) (Under Rule 5)

जा.क्र./जिरुभ/बॉनरअ/नोप्र/५९९२४२०२१
जिल्हा शल्यचिकीत्सक कार्यालय, भंडारा
दिनांक :- 27 SEP 2021

This is to certify that **Bhondekar Sanskrutic Krida & Samajik Shikshan Sanstha Bhandara** has been registered under the Bombay Nursing Homes registration Act, 1949 in respect of **PES Hospital and Research Centre, Situated at Bank Colony, Sahakar Nagar ,Near Balaji Mandir Bhandara** and has been authorized to carry on the said Nursing Home & Maternity Home .

रजिस्ट्रेशन क्र. :- DHB/BNHA/019/14

प्रसुतिसाठी

कॉट्स १००

Registration No :- DHB/BNHA/019/14

Maternity

Cots 100

रजिस्ट्रेशन दि. :- १५/०५/२०१४

इतर रुग्णांसाठी

कॉट्स २००

Date of Registration:- 15/05/2014

Other Nursing Patients

Cots 200

Date of Renewal:-1/04/2020

Total 300 Beds

ठिकाण :- भंडारा

Place :- Bhandara

Date of issue of Certificate 1st April 2020

This Certificate shall be valid up to 31st March 2023



जिल्हा शल्यचिकित्सक
जिल्हा रुग्णालय भंडारा

Remarks :- Hospital Director Name Changed on Date 24.09.2021

BNHR/cert1/renewal/2021

Page 32

Principal

Boys Nursing College
Bhandara - 44190

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014701

Fax: 24024068 /24023515

Website: <http://mpcb.gov.in>

E-mail: mpcb@gov.in



Kalpataru Point, 2nd - 4th Floor,

Opp. Cine Planet Cinema,

Near Sion Circle, Sion (E)

Mumbai - 400 022

Red/LSI

Date: 29/07/2020.

Consent No: Format 1.0/BO/PSO/CC-2007001647

To,

M/s. PES HOSPITAL AND RESEARCH CENTER,

Bank Colony, Sahakar Nagar,

Near Balaji Mandir,

Tal. & Dist. Bhandara- 441904

Email: pes.bhahospital123@gmail.com

Sub : Combined Consent to Establish, Operate & BMW Authorization under RED Category.

- Ref :**
1. Application of consent to operate and BMW authorization on 30.11.2019
 2. Minutes of 10th CC- meeting held on 13.12.2019
 3. SCN for Refusal issued on 01.01.2020
 4. Personal hearing extended on 01.06.2020
 5. Documents uploaded on 30.05.2020
 6. Reply of SRO- Bhandara on 07.07.2020

Consent to Establish & Operate

under Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981, Authorization under Rule 5 of the Hazardous Wastes Rules 2016 and Biomedical Waste Management Rules 2016 is considered and the consent is hereby granted subject to following terms and conditions and as detailed in the schedule I, II, III, IV & V annexed to this order:

1. The conditional consent to establish, operate & BMW authorization is granted for period from 15.07.2020 to 15.07.2025
2. The capital investment of the HCE is Rs. 2.15 Crore.
(As per C. A. Certificate submitted)
3. The Consent is valid for the Activity of -

Sr. No.	Activity	Beds
I	Hospital	300 Nos.
	a) Total Plot Area	10048.00 sq. mtrs
	b) Total Built up Area	7800.00 sq. mtrs

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	--	As per Schedule -I	On land for gardening
2.	Domestic effluent	7.5	As per Schedule -I	On land for gardening

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1.	D.G. Set (20.0 KVA)	1 No.	As per Schedule - II

6. Non-Hazardous Solid Wastes:

Sr. No.	Type of Waste	Quantity	UOM	Disposal
1	Sludge from Sewage Water treatment	As per Actual	MT/Year	--

7. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
8. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.
9. This consent is issued subject to conditions mentioned below,
- The "authorized Person" M/s. PES Hospital and Research Centre, Bhandara shall comply with the provisions of the Environment (Protection) Act, 1986, and Rules made there under.
 - Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.
 - If the built up area exceeds more than 20,000 sq. mtrs. and if the hospital is commissioned after 14.09.2006, the project proponent shall comply EIA Notification 14.09.2006 by obtaining Environment Clearance.
 - You shall submit details of Management and Handling of outdated, discarded, unused **Cytotoxic drugs** generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on www.cpcb.nic.in alongwith Annual Report to MPCB with a copy to CPCB before 30th June every year.
 - You shall manage the **Mercury Waste** in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dated: 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities".
 - You shall ensure phase out of chlorinated plastic bags, gloves and blood bags by HCEs within two years;
 - You shall establish Bar code system within one year.
 - You shall ensure that the liquid waste is treated and disposed by all the occupier or operator of a CBWTF in accordance with the Water Act, 1974;
 - You shall maintain day to day basis and display the monthly record including Annual report on its website within two years from the date of notification.
 - You shall submit separate Bank Guarantee of Rs.3,00,000/- towards compliance of condition mentioned at Annexure - IV to Regional Office, Nagpur within 30 days.

- (x) You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, Nagpur for verification purpose.
- (xi) You shall submit application for renewal of Combined Consent and Biomedical Waste authorization before 120 days along with appropriate fees

For and on behalf of the
Maharashtra Pollution Control Board

(E. Ravendiran, IAS)
Member Secretary

Received Consent / Authorization fee of -

Sr. No.	Amount (₹)	Dr no.	Date
1	75,000/-	TXN1906000408	06.06.2019
2	15,000/-	TXN1906000409	06.06.2019
3	1,35,000/-	MPCB-DR-0757	04.07.2020

Copy to:

1. Regional Officer - MPCB , Nagpur and Sub -Regional Officer -Bhandara, MPCB - They are directed to ensure the compliance of the CCA conditions.
2. Chief Accounts Officer, MPCB, Mumbai- for information.


Principal
Pooja Nursing College
Bhandara - 441901

Schedule-I

D) Terms & Conditions for compliance of Water Pollution Control

- 1) A) You shall provide combined waste water primary treatment for the Trade effluent and domestic sewage generated from the hospital and thereafter the treated effluent shall be discharged in to Sewage Treatment Plant with the adequate design capacity followed by **Chlorination** and the treated water shall be disposal to Municipal Sewer / Land application after achieving standard prescribed below:
- B) The Applicant shall operate the combined waste water treatment plant to treat the trade and domestic effluent so as to achieve the following standards prescribed by the Board or under E P Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/l, except for pH
01	pH	6.5-9.0
02	Oil & Grease	10
03	BOD (3 days 27°C)	30
05	COD	250
06	Total Suspended Solids	100
08	Bio-Assay test	90 % survival of fish after 96 hours in 100 % effluent

- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waste water & the system for the disposal of effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps for expansion / modify or establish any modification to treatment and disposal system or an extension or addition thereto.
- 3) You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) You shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time.

II) Water Consumption

Sr. No.	Purpose for water consumed	Water Consumption quantity CMD
1.	Industrial Cooling and boiler feed etc.,	---
2.	Domestic purpose	10.0
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	---
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	---
5	Other such as agriculture, gardening, etc.	---

Schedule-II

Terms & conditions for compliance of Air Pollution Control


1. As per your application, you have proposed / provided the Air pollution control (APC) system and also proposed to erect/erected following stack (s) to observe the following fuel pattern-

Sr. No.	Stack Attached to	Height in meter	Type of Fuel	Quantity lit/hr
1	D.G. Set (20 KVA)	1.5	Diesel	3.0

2. The applicant shall provide stack of adequate height to operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm ³
--------------------	---------------	------------------------

3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. Conditions for D.G. Set
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.



Principal
Dooja Nursing College
Bhandara - 441904

Schedule-III

Treatment and Disposal of Biomedical Waste generated from Hospital to CBMWTSDF

The authorisation is granted for generation and disposal of Bio-Medical Waste (BMW) to CBMWTSDF in waste categories and quantities listed here in below :

Sr. No.	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	190.0	Yellow coloured non-chlorinated plastic bags	No onsite treatment of BMW is permitted. The above mentioned Bio medical Waste shall be sent to Common BMW Treatment & Disposal facility authorized by MPCB i.e. M/s. Superb Hygienic Disposal, CBMWTSDF, Nagpur
		b) Animal Anatomical Waste	--		
		c) Soiled Waste	190.0		
		d) Expired or Discarded Medicines	10.0		
		e) Chemical Waste	--		
		f) Chemical Liquid Waste	--	Separate collection system leading to effluent treatment system	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	10.0	Yellow coloured non-chlorinated plastic bags or suitable packing material	
		h) Microbiology Biotechnology and other clinical laboratory waste	7.0	Autoclave safe plastic bags or containers	
2	Red	Contaminated waste (Recyclable)	75.0	Red coloured non chlorinated plastic bags or containers	
3	White (Translucent)	Waste sharps including Metals	45.0	Puncture proof, Leak proof, tamper proof container	
4	Blue	a) Glassware	15.0	Leak proof and puncture proof boxes with Blue colored marking	
		b) Metallic body implants	--		

[Handwritten signature]


 Pooja Nursing College
 Bhandara - 44190

Schedule-IV : Bank Guarantees

Statement of conditions to be complied and Bank Guarantee imposed to ensure timely compliance to be observed by M/s. PES Hospital and Research Centre, Bhandara

Sr. No.	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
I (A)	Operation and Maintenance		
1	To Segregate and Handle BMW as per Rule	Continuous	50,000/-
2	Operation and Maintenance of combined waste water treatment plant to achieve prescribed discharged standards	Continuous	50,000/-
I (B)	Records		
1	To Maintain records of BMW and submission of Annual Report in Form -II before 30th June	Continuous	25,000/-
2	To maintain records of BMW material delivered to CBMWTSDF	Continuous	25,000/-
II	Performance		
1	To provide separate BMW storage facility as per CPCB guidelines	Three	50,000/-
2	To install STP for treatment of sewage	Three	1,00,000/-
		Total	3,00,000/-
Rupees Three Lakh only			

Note : You shall submit the B.G. valid for additional 4 month period after the validity of your granted CCA.





Principal
Pooja Nursing College
Bhandara - 44190'

Schedule-V
General Conditions



The following general conditions shall apply as per the type of the industry

- 1) You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) You should monitor effluent quality, stack emissions, noise and ambient air quality quarterly.
- 3) You shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 4) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 5) You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 6) You shall submit, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 to Regional Office, Nagpur, the 30th day of September every year.
- 7) You shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW Rules 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 8) You shall comply with the Hazardous Waste Rules, 2016 and submit the Annual Returns to RO- Nagpur as per Rule Hazardous Waste Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year.
- 9) An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
- 10) You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
- 11) You shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.


Principal
Pooja Nursing College
Bhandara - 441904

- 12) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 13) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
- 14) You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 15) You should not cause any nuisance in surrounding area.
- 16) You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 17) You shall maintain good housekeeping.
- 18) You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement to Regional Office, Nagpur by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
- 19) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 20) You shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. You will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 21) You shall submit Six Monthly statement in respect of obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
- 22) You shall submit official e-mail address and any change will be duly informed to the MPCB, forthwith.
- 23) You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended
- 24) You shall observe provisions of E-waste (Management and Handling) Rules 2011 and Battery Waste (Management and Handling) Rules 2001, as amended.

-----0000-----



Principal
Pooja Nursing College
Bhandara - 441904

HOSPITAL DETAILS

Name of the Hospital: **PES Hospital and Research Center, Bhandara**

Distance: 00 Kms.

Specialty: **Multispeciality**

No. of Beds	Medical	Surgical	Orthopedic	Obst. & Gynecology	Pediatrics	ICU/ICU	NICU	Casualty	Isolated	Private	No. of OPD per year	No. of IPD per year	No. of Deliveries / Year
300	40	40	30	100	28	24	8	12	6	12	12517	16312	715


Principal
Pooja Nursing College
Bhandara - 441904



सामान्य रुग्णालय भंडारा

दूरध्वनी क्र.	फॅक्स क्रमांक
कार्यालय : ०७१८४ - २५२२४७	०७१८४ - २५५१५१
कक्ष : ०७१८४ - २५२५३२	ई-मेल : csbhandara@rediffmail.com
जा. क्र. / सुरुभ/ प्रा. अनुभव परवानगी / ६७३-२२ / २०२२	दिनांक: २७/०९/२०२२

प्रती,
प्राचार्य,
पूजा नर्सिंग कॉलेज,
बँक कॉलोनी, सहकार नगर,
भंडारा.

विषय :- पूजा नर्सिंग कॉलेज, सहकार नगर, बँक कॉलोनी, किसान चौक, भंडारा. येथील बेसिक बी. एस्सी. (नर्सिंग), पोस्ट बेसिक बी. एस्सी. (नर्सिंग) व एम. एस्सी. (नर्सिंग) अभ्यासक्रमाच्या प्रशिक्षनार्थीना प्रात्यक्षिक अनुभवाकरिता परवानगी देण्याबाबत.

संदर्भ :- प्राचार्य, पूजा नर्सिंग कॉलेज, सहकार नगर, बँक कॉलोनी, भंडारा प. क्र. PNC/१४९०-A/२०२२, दिनांक १४/०९/२०२२

उपरोक्त संदर्भीय विषयाच्या अनुषंगाने, आपल्या प्राचार्य, पूजा नर्सिंग कॉलेज, सहकार नगर, बँक कॉलोनी, किसान चौक, भंडारा येथील बेसिक बी. एस्सी. (नर्सिंग), पोस्ट बेसिक बी. एस्सी. (नर्सिंग) व एम. एस्सी. (नर्सिंग) अभ्यासक्रमाच्या प्रशिक्षनार्थीना प्रात्यक्षिक अनुभवाकरिता शासन निर्णयातील अटी व शर्तीच्या अधिन राहून सन २०२२-२३ करीता खाटा वापरण्यास परवानगी देण्यात येत आहे.

जिल्हा शल्य चिकित्सक
जिल्हा रुग्णालय, भंडारा

प्रति:

१. अधिसेविका, सामान्य रुग्णालय, भंडारा यांना आदेशित करण्यात येते की, संबंधित संस्थेचे वरील विद्यार्थ्यांना प्रात्यक्षिक अनुभवास बसू देण्यात यावे.
२. रोखपाल, सामान्य रुग्णालय, भंडारा यांनी नियम प्रमाणे रकमेचा भरणा करून घ्यावा.

Principal
Pooja Nursing College
Bhandara - 441904



(वि. नि. नमुना क्र. १ पैकी) (वि. नि., नमुना क्र. १ पैकी)

सर्वसा. ११३ म. व. इ.
Gen. 113 m. & e.

[अहस्तांतरणीय]

(NOT TRANSFERABLE)

मालिका- 'ळ'

शासनास केलेल्या प्रदानाची पावती

RECEIPT FOR PAYMENT TO GOVERNMENT

ठिकाण/Place GHB दिनांक/Date 22.09 २० 2022.

Received from Pooja Nursing College, Bhandara यांच्याकडून

रु./Rs. 2,10,000/- (रु. अक्षरी/Rs. in words Two Lakh Ten thousand

On account of Clinical Experience fees याकरिता मिळाले. Rs. only

रोखपोस/किंवा लेखापाल
Cashier or Accountant

सही व पदनाम
Signature and Designation

Pooja
Principal
Pooja Nursing College
Bhandara - 441904



सामान्य रुग्णालय भंडारा

दूरध्वनी क्र.

कार्यालय : ०७१८४ - २५२२४७

कक्ष : ०७१८४ - २५२५३२

फॅक्स क्रमांक

०७१८४ - २५५१५१

ई-मेल : csbhandara@rediffmail.com


जा. क्र./ सरुभं/ प्रा. अनुभव परवानगी /

/२०१९

दिनांक:

Bed Distribution

S.No.	Unit	Beds (Sanction)
1	Medicine	106
2	ICU	06
3	Surgery	76
4	Burn	06
5	Obs & Gynec	93
6	Pediatric	38
7	PBU	10
8	NICU	15
9	Orthopedic	39
10	ENT	12
11	Eye	27
12	TB	20
13	Dental	10
14	Casualty	22
Total		482


Civil Surgeon
General Hospital, Bhandara


Principal
Pooja Nursing College
Bhandara - 441904



महाराष्ट्र MAHARASHTRA 2020 AY 781138

के. पी. भुरे क्रमांक- 6222
स्टॅम्प हेंडर भंडारा किंमत- 500/-
ला.नं. 4/97-98 दिनांक- 12/09/2021
मुद्राकाचा उपयोग फेरिशाभा
कोड नं. 8009008



Memorandum of Understanding

This Understanding between -

- 1) Bhondekar Sanskrutik Krida Va Samajik Sikshan Sanstha's, Pooja Nursing College (Basic B.Sc. Nursing, Post Basic B.Sc. Nursing & M.Sc. Nursing), Bhandara and
- 2) Director, Laksh Multispecialty Hospital, Bhandara

[Signature]
Principal
Pooja Nursing College
Bhandara - 44190'

CANCELLED CANCELLED CANCELLED CANCELLED CANCELLED



That, Student from Basic B.Sc. Nursing, Post Basic B.Sc. Nursing & M.Sc. Nursing of Pooja Nursing College, Kisan Chowk, Bank Colony, Sahakar Nagar, Bhandara are allowed to do Practical Nursing Training in Laksh Multispecialty Hospital, Takiya Ward, Nagpur bypass road, Bhandara. As per the agreement between both parties nursing students will be trained under expert supervision from the ward In charges of Laksh Multispecialty Hospital, Bhandara & Clinical Instructors from Pooja Nursing College, Bhandara.
Laksh Multispecialty Hospital is 100 bedded Hospital.

Date :- 14.01.2021
Place :- Bhandara



अध्यक्ष / उपाध्यक्ष / सचिव
1) President, भोंडेकर शिक्षण संस्था भंडारा
Bhondekar Sanskrutik Krida Va
Samajik Sikshan Sanstha, Bhandara.

NOTARIAL REG.
ENTRY NO. 471
DATE: 14-1-2021

2) Director,
Laksh Multispecialty Hospital,
Bhandara.



ATTESTATION OF AFFIDAVIT
I solemnly affirm that this is my name
and signature / Mark and that the
contents of this affidavit are true.

Signature of Deponent
Signature of Notary

This M.O.V is
Executed by Ramkishan Chaudhary
Identified by Vijay Prasad P. N. N.
near Bhandara Education Society



Rajesh Y. Raut
NOTARY
Regd. No. 20287
Sant Tukadoji Ward,
Near LIC Office, Bhandara (M.S.)

Principal
Pooja Nursing College
Bhandara - 441904

BHANDARA MUNICIPAL
COUNCIL
DHULE BHANDARA

No 3458/CO/2021/244

Date: 7/1

Certificate of Registration

Under Section 5 of the Bombay Nursing Home Registration Act, 1949
[Under Rule 5]

This is to Certify that Dr. GOPAL SATYANARAYAN
has been registered under the Bombay Nursing Home Registration Act, 1949
in respect of LAKSHA HOSPITAL MULTI SPECIALITY situated at
TAKIYA WARD Bhandara and has been authorised to carry on the
said Maternity Home/Dispensary Home

Registration No.	<u>50/69</u>	
Date Registration	<u>22/01/2010</u>	
Maternity	<u>00</u>	Beds
Other Nursing Patients	<u>100</u>	Beds
Date of Issue of Certificate	<u>07/12/2021</u>	

This certificate shall be valid up to 31 March 2026



[Signature]
Chairman
Municipal Council
Bhandara. [Signature]

[Signature]
Principal
Pooja Nursing College
Bhandara - 441904

MAHARASHTRA POLLUTION CONTROL BOARD



Website : mpcb.mah.nic.in
E-Mail : srobhandara@mpcb.gov.in
Fax : 260629
Phone : 07184 - 260629

Sub-Regional Office,
Sant Tukdoji Ward,
Petkar Building,
Bhandara - 441904.

Letter of Bio-Medical Waste Authorization.

Authorization for operating a facility for (Generation, Collection, Reception, Transportation, Treatment, Storage and Disposal) of Bio-Medical Wastes.

- I) File number of Authorization and date of issue
MPCB/SRO/BMW-Bhandara/236A/2022 Dated: 25/03/2022
- II) M/S. Laksh Hospital, Takiya Ward, Dist - Bhandara. (Beds -100)
is hereby granted an authorization for handling bio-medical waste on the premises situated at Dist - Bhandara
- III) This authorization shall be in force for a period up to 10/09/2026. An application shall be made by the occupier/operator for renewal 90 days before expiry of earlier authorization.
- IV) This authorization is issued subject to compliance of the conditions stated below and to such other conditions as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986.

Terms and conditions of authorization

1. The authorized Person shall comply with the provisions of the Environment (Protection) Act, 1986 and the Rules made there under.
2. The authorization shall be produced for inspection at the request of an Officer authorized by the prescribed authority.
3. I) The authorized person shall not rent, lend or sell the bio-medical waste facility.
ii) The authorized person can transfer the BMW generated at above premises to the "Transporter" or "Operator of facility" authorized by MPCB under Bio-Medical Waste (Management and Handling) Rules 1998 for collection, transportation treatment and/or disposal of BMW generated.
4. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.
5. It is the duty of the authorized person to take prior permission of the prescribed authority to close down the facility.



--- 2


Principal
Pooja Nursing College
Bhandara - 441904

HOSPITAL DETAILS

Name of the Hospital: **Laksh Hospital, Bhandara**

Distance: 05 Kms.

Specialty: Multi-Specialty

No. of Beds	Medical	Surgical	Ortho	Casualty	ICU	Dialysis	No. of OT		No. of Operation Tables		No. of Surgeries		No. of IPD per year	No. of OPD per year
							Major	Minor	Major	Minor	Per Day	Per Month		
100	30	30	20	6	10	4	3	2	3	2	6	180	31025	65378


Principal
Pooja Nursing College
Bhandara - 441904



महाराष्ट्र MAHARASHTRA

पूजा नर्सिंग कॉलेज भंडारा
● 2020 ●

AY 781137

के. पी. भुरे } क्रमांक- 6226
स्टॅम्प व्हेंडर भंडारा } किंमत- 400/-
ला.नं. 4/१७-९८ } दिनांक- १२/०१/२०२१
मुद्राकाचा उपयोग
कोड नं. ४७०९००४ फारिनामा

भा. इमेल भुरे



A. B. MURK



Memorandum of Understanding

This Understanding between -

- 1) Bhonekar Sanskrutik Krida Va Samajik Sikshan Sanstha's, Pooja Nursing College (Basic B.Sc. Nursing, Post Basic B.Sc. Nursing & M.Sc. Nursing), Bhandara and
- 2) Director, Citycare Multispecialty Hospital, Bhandara

[Signature]
Principal
Pooja Nursing College
Bhandara - 441904

That, Student from Basic B.Sc. Nursing, Post Basic B.Sc. Nursing & M.Sc. Nursing of Pooja Nursing College, Kisan Chowk, Bank Colony, Sahakar Nagar, Bhandara are allowed to do Practical Nursing Training in Citycare Multispecialty Hospital, Takiya Ward, Nagpur bypass road, Bhandara. As per the agreement between both parties nursing students will be trained under expert supervision from the ward In charges of Citycare Multispecialty Hospital, Bhandara & Clinical Instructors from Pooja Nursing College, Bhandara.
Citycare Multispecialty Hospital is **100 beded** Hospital.

Date :- 14.01.2021

Place :- Bhandara

CANCELLED NOTARIAL
 CANCELLED NOTARIAL
 CANCELLED NOTARIAL
 CANCELLED NOTARIAL
 CANCELLED NOTARIAL
 CANCELLED NOTARIAL



1) President, **भोंडेकर शिक्षण संस्था भंडारा**
 Bhondekar Sanskrutik Krida Va
 Samajik Sikshan Sanstha, Bhandara.

NOTARIAL REG.
 ENTRY NO. 478
 DATE: 14-1-2021

2) Director,
 Citycare Multispecialty Hospital,
 Bhandara.

ATTESTATION OF AFFIDAVIT
 do solemnly affirm that this is my name and signature / Mark and that the contents of this affidavit are true.


Signature of Deponent

Signature of Notary

This M.O.V is chance

Executed by Ramesh chindhanji

Identified by Vinod Ghansham
 Wardhane, #10 Sh. Rd.



Rajesh Y. Raut
 NOTARY
 Regd. No. 20287
 Sant Tukadoji Ward,
 Near LIC Office, Bhandara(M.S.)



Principai
 Pooja Nursing College
 Bhandara - 441904



महाराष्ट्र शासन
आरोग्य सेवा
जिल्हा शल्य चिकित्सक
जिल्हा रुग्णालय भंडारा

Certificate of Registration under Section 5 of the Bombay Nursing Homes Registration Act, 1949
(नियम ५ अन्वये) (Under Rule 5)

जा.क्र./जिरुभं/बॉनरअं/नोप्र/५७५५/२०२०

जिल्हा शल्यचिकीत्सक कार्यालय, भंडारा

दिनांक :- **E 1 APR 2020**

This is to certify that Mr/Mrs Dr. Manoj Jiwanlal Chauhan, Director has been registered under the Bombay Nursing Homes registration Act, 1949 in respect of **Citycare Multispeciality Hospital** situated at Takiya ward Nagpur bypass road , Bhandara and has been authorized to carry on the said Nursing Home.

रजिस्ट्रेशन क्र. :- DHB/BNHA/014/14	प्रसुतिसाठी	कॉटस् १०
Registration No :- DHB/BNHA/014/14	Maternity	Cots 10
रजिस्ट्रेशन दि. :- १५/०५/२०१४	इतर रुग्णांसाठी	कॉटस् ९०
Date of Registration:- 15/05/2014	Other Nursing Patients	Cots 90
Date of Renewal:- 01/04/2020		Total 100 Beds


ठिकाण :- भंडारा

Place :- Bhandara

Date of issue of Certificate 01 April 2020

This Certificate shall be valid up to 31 st March 2025




जिल्हा शल्य चिकित्सक
जिल्हा रुग्णालय भंडारा

**Civil Surgeon
General Hospital Bhandara**

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 95712-2560139/52

Fax : 95712-2560851

Email : ronagpur@mpcb.gov.in

Visit At : <http://mpcb.gov.in>



5th Floor, Udyog Bhawan, Civil Lines,

Nagpur- 440 001.


LETTER OF BIO-MEDICAL WASTE AUTHORISATION

[Authorization for Generation, Storage of Bio-Medical Wastes under Rule 10]

- I. File number of authorization and date of issue
RO-Nagpur/BMW_AUTH/ 1900332120 Dt. 26/02/2022
- II. Your Online BMW Authorization Application through Web-Portal having
UAN: MPCB-BMW_AUTH-0000023442 on Dt. 15/07/2022.
- III. M/s Citycare Multispeciality Hospital is hereby granted an authorization for
generation of biomedical waste on the premises situated A/p- Takiya Ward,
Nagpur By Pass Road, Bhandara.
- IV. This authorization shall be in force for a period up to 30/08/2025 An application
shall be made by the occupier/operator for renewal 3 Months before expiry of
earlier authorization.
- V. This authorization is issued subject to compliance of the conditions
stated below and to such other conditions as may be specified in the
Rules for the time being in force under the Environment (Protection) Act, 1986.
- VI. No of Beds: 100

Terms and Conditions of authorization

1. The authorized Person shall comply with the provisions of the Environment
(Protection) Act, 1986, and the Rules made there under.
2. The authorization shall be produced for inspection at the request of an officer
Authorized by the prescribed authority.
3. i) The authorized person shall not rent, lend or sell the biomedical waste or facility.
ii) The authorized person can transfer the BMW generated at above premises to the
"Transporter" or "Operator of Facility" authorized by MPCB under Bio-Medical Waste
Management Rules, 2016 & amendment 2018 for collection, transportation, treatment
and/or disposal of BMW generated.
4. Any unauthorized change in equipment or working conditions as mentioned in the
application by the person authorized shall constitute a breach of this authorization.



Bhandara - 441904

5. It is the duty of the authorized person to take prior permission of the prescribed authority to close down the facility.

Schedule-III

Treatment and Disposal of Biomedical Waste generated from Hospital to CBMWTSDF

The authorization is granted for generation and disposal of Bio-Medical Waste (BMW) to CBMWTSDF in waste categories and quantities listed here in below:

Sr. No.	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	10	Yellow coloured non-chlorinated plastic bags	No on-site treatment of BMW is permitted. The above mentioned Bio medical Waste shall be sent to Common BMW Treatment & Disposal facility authorised by MFCB i.e. CBMWTSDF
		b) Animal Anatomical Waste	NIL		
		c) Soiled Waste	NIL		
		d) Expired or Discarded Medicines	NIL	Separate collection system leading to effluent treatment system	
		e) Chemical Waste	15		
		f) Chemical Liquid Waste	NIL	Yellow coloured non-chlorinated plastic bags or suitable packing material.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	NIL		
		h) Microbiology Biotechnology and other clinical laboratory waste	05	Autoclave safe plastic bags or containers	
2	Red	Contaminated waste (Recyclable)	25	Red coloured non-chlorinated plastic bags or containers	
3	White (Translucent)	Waste sharps including Metal.	22	Puncture proof, Leak proof, tamper proof container	
4	Blue	a) Glassware	NIL	Cardboard boxes with Blue colored marking	

6. The liquid/solid waste generated from the treatment activity (from laboratory and washing cleaning, housekeeping and disinfecting activities) shall be treated suitably by providing effluent treatment facility to conform the standards prescribed in Schedule V of said Rules and the Environment (Protection) Act, 1986.



[Signature]
Principal
Boja Nursing College
Bhandara - 441904

7. (i) BMW shall be treated and disposed of in accordance with Schedule I; and in compliance with the standards prescribed in Schedule V of said Rules.

(ii) You shall setup requisite BMW treatment facilities like incinerator, autoclave / Microwave, shredder etc., at the disposal site in accordance with the BMW rules. You shall disposed of the duly treated BMW and incineration ash in secured land fill site at your own premises / at MSW secured land fill site of Municipal Council authorized by MPCB and duly earmarked for disposal of treated BMW / at common H.W. treatment & disposal facility setup as per the Hazardous Waste (M & H) Rules, 1989 as amended and authorized by MPCE.

8. (i) BMW shall not be mixed with other wastes or reused, recycled or sold in any form.

(ii) BMW shall be segregated into containers / bags at the point of generation in accordance with Schedule-II prior to storage, treatment and disposal. The containers shall be labeled according to Schedule III.

(iii) If a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the Label prescribed in Schedule III, also carry information prescribed in Schedule IV and shall be transported by authorized Transporter only.

(iv) Notwithstanding anything contained in the Motor Vehicles Act, 1988 or Rules thereunder, BMW shall be transported only in such vehicle as may be authorized for the purpose by the competent authority as specified by the Government.

(v) No untreated BMW shall be kept stored beyond a period of 48 hours.

09. Standards for waste autoclaving:

The autoclave should be dedicated for the purposes of disinfecting and treating bio-medical waste.

(I) When operating a gravity flow autoclave, medical waste shall be subjected to:

(i) a temperature of not less than 121 °C and pressure of 15 pounds per

Square inch (psi) for an autoclave residence time of not less than 60 minutes; or

(ii) a temperature of not less than 135 °C and a pressure of 31 psi for an autoclave residence time of not less than 45 minutes;


or

(iii) a temperature of not less than 149 °C and a pressure of 52 psi for an autoclave residence time of not less than 30 minutes.

(II) When operating a vacuum autoclave, medical waste shall be subjected to a minimum of one pre-vacuum pulse to purge the autoclave of all air. The waste shall be subjected to the following.

(i) a temperature of not less than 121 °C and a pressure of 15 psi for an autoclave residence time of not less than 45 minutes; or

(ii) a temperature of not less than 135 °C and a pressure of 31 psi for an autoclave residence time of not less than 30 minutes; or



Pooja
Principal

Pooja Nursing College
Bhandara - 441904

HOSPITAL DETAILS

Name of the Hospital: **City Care Multispeciality Hospital, Bhandara**

Distance: 04 Kms.

Specialty: Multi-Specialty

No. of Beds	Medical	Surgical	Ortho	Maternity	Casualty	ICU	Dialysis	No. of OT		No. of Operation Tables		No. of Surgeries		No. of IPD per year	No. of OPD per year
								Major	Minor	Major	Minor	Per Day	Per Month		
100	25	25	20	10	5	12	3	3	2	3	2	7	210	28535	62415


Principal
Pooja Nursing College
Bhandara - 441904



महाराष्ट्र MAHARASHTRA

पूजा सामाजिक क्रीडा शिक्षण संस्था


2020

AY 781140

के. पी. भुरे } क्रमांक- 6230. डा. अमोल भुरे
 स्टॅम्प व्हेडर भंडारा } किंमत- 500/-
 ला.नं. 4/97-98 } दिनांक- 92/09/2020
 मुद्रांकाचा उपयोग
 कोड नं. 8709008 फारनामा



A BURE.



Memorandum of Understanding

This Understanding between -

- 1) Bhondekar Sanskrutik Krida Va Samajik Sikshan Sanstha's, Pooja Nursing College (Basic B.Sc. Nursing, Post Basic B.Sc. Nursing & M.Sc. Nursing), Bhandara and _____
- 2) Director, Shlok Hospital, Bhandara

[Signature]
 Principal
 Pooja Nursing College
 Bhandara - 441904


That, Student from Basic B.Sc. Nursing, Post Basic B.Sc. Nursing & M.Sc. Nursing of Pooja Nursing College, Kisan Chowk, Bank Colony, Sahakar Nagar, Bhandara are allowed to do Practical Nursing Training in Shlok Hospital, Aazad Ward, Bhandara. As per the agreement between both parties nursing students will be trained under expert supervision from the ward In charges of Shlok Hospital, Bhandara & Clinical Instructors from Pooja Nursing College, Bhandara.
Shlok Hospital is 100 beded Hospital.

Date :- 14.01.2021

Place :- Bhandara



- 1) President,
Bhondekar Sanskrutik Krida Va
Samajik Sikshan Sanstha, Bhandara.



- 2) Director,
Shlok Hospital, Bhandara.

ATTESTATION OF AFFIDAVIT
do solemnly affirm that this is my name and signature / Mark and that the contents of this affidavit are true.

Signature of Deponent

Signature of Notary

This M.O.U is

Executed by Ramesh chande

Identified by Vinod Ghansham Wardhane, 2/10, Bhandara



~~Rajesh Y. Raut~~
NOTARY
Regd. No. 20287
Sant Tukadoji Ward,
Public LIC Office, Bhandara(M.S.)



[Signature]
Principal
Pooja Nursing College
Bhandara - 441906



महाराष्ट्र शासन
आरोग्य सेवा
जिल्हा शल्य चिकित्सक
जिल्हा रुग्णालय भंडारा

Certificate of Registration under Section 5 of the Bombay Nursing Homes Registration Act, 1949
(नियम ५ अन्वये) (Under Rule 5)

जा.क्र./जिरुभ/बॉनरअ/नोप्र/५७३५७२०२०
जिल्हा शल्यचिकीत्सक कार्यालय, भंडारा
दिनांक :- 1 APR 2020

This is to certify that Mr/Mrs **Dr. Manojkumar Gopal Jhavar**, Director has been registered under the Bombay Nursing Homes registration Act, 1949 in respect of **Shlok Hospital** situated at **Aazad Ward, Bhandara** and has been authorized to carry on the said Nursing Home.

रजिस्ट्रेशन क्र. :- DHB/BNHA/004/14	प्रसुतिसाठी	कॉट्स ००
Registration No :- DHB/BNHA/004/14	Maternity	Cots 00
रजिस्ट्रेशन दि.:- १५/०५/२०१४	इतर रुग्णांसाठी	कॉट्स १००
Date of Registration:- 15/05/2014	Other Nursing Patients	Cots 100
Date of Renewal: -01/04/2020		
ठिकाण :- भंडारा		
Place :- Bhandara		
Date of issue of Certificate 01 April 2020		
This Certificate shall be valid up to 31 st March 2025		



जिल्हा शल्य चिकित्सक
जिल्हा रुग्णालय भंडारा

Civil Surgeon
General Hospital Bhandara

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 07184-260629

Fax : 07184-260629

Email : srobhandara@mpcb.gov.in

Visit At : <http://mpcb.gov.in>



Sub-Regional Office,
Tatya Tope Ward, Near City Petrol Pump,
Mahal Road,
Bhandara-441 904

LETTER OF BIO-MEDICAL WASTE AUTHORISATION

[Authorisation for Generation, Segregation, Treatment, Disposal of Bio-Medical Wastes under Rule 7(4)]

I. File number of authorization and date of issue
SRO-BHANDARA/BMW_AUTH/1801000338

Dated:- 20/01/2018

II. **Shlok Hospital** is hereby granted an authorization for generation of biomedical waste on the premises situated, **Nerwan Galli, Azad Ward, Bhandara, Dist- Bhandara**


III. This authorisation shall be in force for a period up to **31/12/ 2025**. An application shall be made by the occupier/operator for renewal **3 Months** before expiry of earlier authorisation.

IV. This authorisation is issued subject to compliance of the conditions stated below and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act, 1986.

V. No of Beds: 100

Terms and Conditions of authorisation

1. The authorized Person shall comply with the provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
2. The authorisation shall be produced for inspection at the request of an officer authorized by the prescribed authority.
3. i) The authorized person shall not rent, lend or sell the biomedical waste or facility.
ii) The authorized person can transfer the BMW generated at above premises to the "Transporter" or "Operator of Facility" authorized by MPCB under Bio-Medical Waste (Management and Handling) Rules, 1998 for collection, transportation, treatment and/or disposal of BMW generated.
4. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorisation.
5. It is the duty of the authorized person to take prior permission of the prescribed authority to close down the facility.
6. The authorization is granted for generation of Bio-Medical Waste (BMW) in waste categories and quantities listed here in below :


Principal
Poona Nursing College
Bhandara - 441907



Sr. No.	Category	Quantity	UOM	Treatment & Disposal
1	Cat - 1 Human Anatomical Waste	--	--	Incineration
2	Cat- 2 Animal Waste.	--	--	Incineration
3	Cat- 3 Microbiology & Biotechnology Waste	--	--	Incineration
4	Cat-4 Waste Sharps	5.0	Kg/M	Disinfection (Chemical treatment) & mutilation/ shredding
5	Cat- 5 Discarded Medicines and Cytotoxic drugs.	--	--	Incineration
6	Cat- 6 Soiled Waste.	7.0	Kg/M	Incineration
7	Cat-7 Solid Waste	5.0	Kg/M	Disinfection (Chemical treatment) & mutilation/ shredding
8	Cat-8 Liquid Waste	--	--	--
9	Cat- 9 Incineration Ash.	---	--	--
10	Cat- 10 Chemical Waste.	--	--	--

The above mentioned bio medical waste shall be sent to common BMW Treatment & Disposal Facility Authorised by MPCB i.e. M/s Superb Hygienic Disposal, Nagpur (CBMWTSDf)

7. The liquid/solid waste generated from the treatment activity (from laboratory and washing, cleaning, housekeeping and disinfecting activities) shall be treated suitably by providing effluent treatment facility to conform the standards prescribed in Schedule V of said Rules and the Environment (Protection) Act, 1986.
8. (i) BMW shall be treated and disposed of in accordance with Schedule I; and in compliance with the standards prescribed in Schedule V of said Rules.
(ii) You shall setup requisite BMW treatment facilities like incinerator, autoclave / Microwave, shredder etc., at the disposal side in accordance with the BMW rules. You shall disposed of the duly treated BMW and incineration ash in secured land fill site at your own premises / at MSW secured land fill site of Municipal Council authorized by MPCB and duly earmarked for disposal of treated BMW / at common H.W. treatment & disposal facility setup as per the Hazardous Waste (M & H) Rules, 1989 as amended and authorized by MPCB.
9. (i) BMW shall not be mixed with other wastes or reused, recycled or sold in any form.
(ii) BMW shall be segregated into containers / bags at the point of generation in accordance with Schedule-II prior to storage, treatment and disposal. The containers shall be labeled according to Schedule III.
(iii) If a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the Label prescribed in Schedule III, also carry information prescribed in Schedule IV and shall be transported by authorized Transporter only.
(iv) Notwithstanding anything contained in the Motor Vehicles Act, 1988 or Rules there under, BMW shall be transported only in such vehicle as may be authorized for the purpose by the competent authority as specified by the Government.
(v) No untreated BMW shall be kept stored beyond a period of 48 hours & till then it shall be stored in cold container.
(vi) Necessary protective gear for the waste handles shall be provided by the hospital Authority.
(vii) You shall ensure proper collection of mercury spillage arising mainly due to breakage of thermometers pressure gauges (Sphygmomanometers) other equipments used in health care facilities (HCF's) as well as its storage in accordance with the hazardous waste (Management & Handling) Rules (presently these Rules has to be read as 'Hazardous


Principal

Principal
Bhandara - 441904

Waste (Management & Handling and Trans boundary Movement) Rules 2008) and returning it to the instrument manufacturers apart from necessary taking steps to ensure that the spilled mercury does not become a part of bio-medical or other solid wastes generated from the HCF's.

- (viii) Authorized person shall obtain prior permission from MPCB for generation & disposal, if Bio-Medical waste quantity of category specified exceed the limits authorized at condition No 6 above.

10. **Standards for waste autoclaving:**

The autoclave should be dedicated for the purposes of disinfecting and treating bio-medical waste,

- (I) When operating a gravity flow autoclave, medical waste shall be Subjected to:
- (i) A temperature of not less than 121 C° and pressure of 15 pounds per Square inch (psi) for an autoclave residence time of not less than 60 minutes; or
 - (ii) A temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 45 minutes; or
 - (iii) a temperature of not less than 149 C° and a pressure of 52 psi for an autoclave residence time of not less than 30 minutes.
- (II) When operating a vacuum autoclave, medical waste shall be subjected to a minimum of one pre-vacuum pulse to purge the autoclave of all air. The waste shall be subjected to the following.
- (i) a temperature of not less than 121 C° and a pressure of 15 psi for an autoclave residence time of not less than 45 minutes; or
 - (ii) a temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 30 minutes; or
- (III) Medical waste shall not be considered properly treated unless the time, temperature and pressure indicators indicate that the required time, temperature and pressure were reached during the autoclave process. If for any reasons, time temperature or pressure indicates that the required temperature, pressure or residence time was not reached, the entire load of medical waste must be autoclaved again until the proper temperature, pressure and residence time were achieved.
- (IV) *Recording of operational parameters*,- Each autoclave shall have graphic or computer recording devices which will automatically and continuously monitor and record dates, time of day, load identification number and operating parameters throughout the entire length of the autoclave cycle.
- (V) *Validation test: Spore testing*. - The autoclave should completely and consistently kill the approved biological indicator at the maximum design capacity of each autoclave unit. Biological indicator for autoclave shall be *Bacillus stearothermophilus* spores using vials or spore strips, with at least 1×10^4 spores per milliliter. Under no circumstances will an autoclave have minimum operating parameters less than a residence time of 30 minutes, regardless of temperature and pressure, a temperature less than 121 C° or a pressure, less than 15 psi.
- (VI) *Routine Test*.—A chemical indicator strip/tape that changes color when a certain temperature is reached can be used to verify that a specific temperature has been achieved. It may be necessary to use more that one strip over the waste package at different location to ensure that the inner content of the package has been adequately autoclaved.


Principal

Bhandara - 44190



11. **Standards for deep burial:**

1. A pit or trench should be dug about 2 meters deep. It should be half filled with waste, and then covered with lime within 50 cm of the surface, before filling the rest of the pit with soil.
2. It must be ensured that animals do not have any access to burial sites. Covers of galvanized iron/wore meshes may be used.
3. On each occasion, when wastes are added to the pit, a layer of 10 cm of soil shall be added to cover the wastes.
4. Burial must be performed under close and dedicated supervision.
5. The deep burial site should be relatively impermeable and no shallow well should be close to the site.
6. The pits should be distant from habitation, and sited so as to ensure that no contamination occurs of any surface water or ground water. The area should not be prone to flooding or erosion.
7. The location of the deep burial site will be authorized by the prescribed authority.
8. The institution shall maintain a record of all pits for deep burial.
12. Every 'Authorized Person' shall submit an Annual Report to the prescribed authority in Form-II by 31st January every year including information about the categories and quantities of BMW handled during the preceding year.
13. (i) Every 'Authorized Person' shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal, and/or any form of handling of BMW in accordance with these Rules and any guidelines issued.
(ii) All records shall be subject to inspection and verification by the prescribed authority at any time.
14. When any accident occurs at any institution or facility or any other site where BMW is handled or during transportation of such waste, the authorized person shall report the accident in Form III to the prescribed authority forthwith.
15. The Occupier will obey all the lawful instructions issued by the Board Officers from time to time.

For and on behalf of the
Maharashtra Pollution Control Board

(A. N. Katole)
Sub-Regional Officer,
M.P.C. Board, Bhandara.

To
The applicant,
Dr. Manoj Gopal Jhavar
Shlok Hospital
Nerwan Galli, Azad Ward,
Bhandara, Dist- Bhandara

Authorization Fees Received:-

Sr. No.	Amount (Rs.)	DD.No.	Date	Remark
1	3750.00	E-Payment	08/11/2017	-

Copy to: Regional Officer, MPCB, for information.


Principal
Dooja Nursing College
Bhandara - 441907

HOSPITAL DETAILS

Name of the Hospital: **Shlok Hospital, Bhandara**

Distance: 03 Kms.

Specialty: Multi-Specialty

No. of Beds	Medical	Surgical	Ortho	Casualty	ICU	No. of OT		No. of Operation Tables		No. of Surgeries		No. of IPD per year	No. of OPD per year
						Major	Minor	Major	Minor	Per Day	Per Month		
100	30	30	20	10	10	2	1	2	1	3	180	24272	49575


Principal
Sooja Nursing College
Bhandara - 441904



महाराष्ट्र MAHARASHTRA

पूजा नर्सिंग कॉलेज भंडारा
2020

AY 781141

के. पी. भुरे } क्रमांक- 6239
स्टॅम्प व्हेंडर भंडारा } किंमत- 400/-
ला.न. 5/९७-९८ } दिनांक- १२/०१/२०२१
मुद्रांकाचा उपयोग
कोड नं. ४७०१००४ क२२२११११

डा. अमोल भुरे



A. BURE



Memorandum of Understanding

This Understanding between -

- 1) Bhandekar Sanskrutik Krida Va Samajik Sikshan Sanstha's, Pooja Nursing College (Basic B.Sc. Nursing, Post Basic B.Sc. Nursing & M.Sc. Nursing), Bhandara and _____
- 2) Director, Sparsh Multispecialty Hospital, Bhandara


Pooja Nursing College
Bhandara - 441904

That, Student from Basic B.Sc. Nursing, Post Basic B.Sc. Nursing & M.Sc. Nursing of Pooja Nursing College, Kisan Chowk, Bank Colony, Sahakar Nagar, Bhandara are allowed to do Practical Nursing Training in Sparsh Multispecialty Hospital, near HDFC Bank, Bhandara. As per the agreement between both parties nursing students will be trained under expert supervision from the ward In charges of Sparsh Multispecialty Hospital, Bhandara & Clinical Instructors from Pooja Nursing College Bhandara.

Sparsh Multispecialty Hospital is 100 beded Hospital.


Date :- 14.01.2021

Place :- Bhandara



अध्यक्ष / उपाध्यक्ष / सचिव

- 1) President, भोंडेकर शिक्षण संस्था भंडारा
Bhondekar Sanskrutik Krida Va
Samajik Sikshan Sanstha, Bhandara.



- 2) Director,
Sparsh Multispecialty Hospital,
Bhandara.



ATTESTATION OF AFFIDAVIT

do solemnly affirm that this is my name and signature / Mark and that the contents of this affidavit are true.

This M.O.V. is
Executed by Ramesh Chaudhary
Identified by Vinod Wanshankar Wadham, Bhandara

Rajesh Y. Raut
NOTARY
Regd. No. 20287
Sant Tukadoji Ward,
Near LIC Office, Bhandara (M.S.)

Pooja Nursing College
Bhandara - 441904

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 07184-260629

Fax : 07184-260629

Email : srobhandara@mpcb.gov.in

Visit At : <http://mpcb.gov.in>

Sub-Regional Office,
Tatya Tope Ward, Near City Petrol Pump,
Mahal Road,
Bhandara-441 904

LETTER OF BIO-MEDICAL WASTE AUTHORISATION

[Authorisation for Generation, Segregation, Treatment, Disposal of Bio-Medical Wastes under Rule 7(4)]

- I. File number of authorization and date of issue
SRO-BHANDARA/BMW_AUTH/1904000204 Dated:- 16-04-2020
- II. **Sparsh Multispeciality Hospital** is hereby granted an authorization for generation of biomedical waste on the premises situated at **Bawankar Complex, Near HDFC Bank, Miskin Tank Gardan, Near Petrol Pump & SBI Bank, Bhandara.**
- III. This authorisation shall be in force for a period up to **31-12-2024**. An application shall be made by the occupier/operator for renewal **3 Months** before expiry of earlier authorisation.
- IV. This authorisation is issued subject to compliance of the conditions stated below and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act, 1986.
- V. No of Beds: **100.**

Terms and Conditions of authorization

1. The authorized Person shall comply with the provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
2. The authorisation shall be produced for inspection at the request of an officer authorized by the prescribed authority.
3. i) The authorized person shall not rent, lend or sell the biomedical waste or facility.
ii) The authorized person can transfer the BMW generated at above premises to the "Transporter" or "Operator of Facility" authorized by MPCB under Bio-Medical Waste Management Rules, 2016 for collection, transportation, treatment and/or disposal of BMW generated.
4. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorisation.
5. It is the duty of the authorized person to take prior permission of the prescribed authority to close down the facility.
1. The authorization is granted for generation of Bio-Medical Waste (BMW) in waste categories and quantities listed here in below :

Principal
Dooja Nursing College

Sr. No.	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Colour coding	Treatment & Disposal
1	Yellow	(a) Human Anatomical Waste		Yellow coloured non-chlorinated plastic bags	Bio medical waste shall be sent to common BMW Treatment & Disposal Facility Authorised by MPCB i.e. M/s Superb Hygienic Disposal, Nagpur (CBMWTSDF)
		(b) Animal Waste.	--		
		(c) Solid Waste	1.0		
		(d) Expired or Discarded Medicines :	6.0		
		(e) Chemical Solid Waste:	3.0		
		(f) Chemical Liquid Waste:	--	Separate collection system leading to effluent treatment system	
		(g) Discarded linen, Mattresses, Beddings Contaminated with blood or body fluid:	--	Yellow coloured non-chlorinated plastic bags or suitable packing material	
		(h) Microbiology, Biotechnology and other clinical laboratory waste:		Autoclave safe plastic bags or container	
2	Red	Contaminated Waste (Recyclable)		Red coloured non chlorinated plastic bags or container	
3	White (Translucent)	Waste Sharps including metals	1.5	Puncture proof leak proof, tamper proof container	
4	Blue	Glassware	--	Puncture proof & leak proof boxes or contains with blue coloured marking	
		Metal Body Implants	--	--	

2. The liquid/solid waste generated from the treatment activity (from laboratory and washing cleaning, housekeeping and disinfecting activities) shall be treated suitably by providing effluent treatment facility to conform the standards prescribed in Schedule V of said Rules and the Environment (Protection) Act, 1986.
8. (i) BMW shall be treated and disposed of in accordance with Schedule I; and in compliance with the standards prescribed in Schedule V of said Rules.
- (ii) You shall setup requisite BMW treatment facilities like incinerator, autoclave / Microwave, shredder etc., at the disposal side in accordance with the BMW rules. You shall disposed of the duly treated BMW and incineration ash in secured land fill site at your own premises / at MSW secured land fill site of Municipal Council authorized by MPCB and duly earmarked for disposal of treated BMW / at common H.W. treatment & disposal facility setup as per the Hazardous Waste Management Rules, 2016 .
9. (i) BMW shall not be mixed with other wastes or reused, recycled or sold in any form.
- (ii) BMW shall be segregated into containers / bags at the point of generation in accordance with Schedule-II prior to storage, treatment and disposal. The containers shall be labeled according to Schedule III.
- (iii) If a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the Label prescribed in Schedule III, also carry information prescribed in Schedule IV and shall be transported by authorized Transporter only.

Principal
 Durga Nursing College
 Bhandara - 441904

- (iv) Notwithstanding anything contained in the Motor Vehicles Act, 1988 or Rules there under, BMW shall be transported only in such vehicle as may be authorized for the purpose by the competent authority as specified by the Government.
- (v) No untreated BMW shall be kept stored beyond a period of 48 hours & till then it shall be stored in cold container.
- (vi) Necessary protective gear for the waste handlers shall be provided by the hospital Authority.
- (vii) You shall ensure proper collection of mercury spillage arising mainly due to breakage of thermometers pressure gauges (Sphygmomanometers) other equipments used in health care facilities (HCF's) as well as its storage in accordance with the hazardous waste (Management & Handling) Rules (presently these Rules has to be read as 'Hazardous Waste (Management & Handling and Trans boundary Movement) Rules 2008) and returning it to the instrument manufacturers apart from necessary taking steps to ensure that the spilled mercury does not become a part of bio-medical or other solid wastes generated from the HCF's.
- (viii) Authorized person shall obtain prior permission from MPCB for generation & disposal, if Bio-Medical waste quantity of category specified exceed the limits authorized at condition No 6 above.

10. **Standards for waste autoclaving:**

The autoclave should be dedicated for the purposes of disinfecting and treating bio- medical waste,

- (I) When operating a gravity flow autoclave, medical waste shall be Subjected to:
 - (i) A temperature of not less than 121 C° and pressure of 15 pounds per Square inch (psi) for an autoclave residence time of not less than 60 minutes; or
 - (ii) A temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 45 minutes; or
 - (iii) a temperature of not less than 149 C° and a pressure of 52 psi for an autoclave residence time of not less than 30 minutes.
- (II) When operating a vacuum autoclave, medical waste shall be subjected to a minimum of one pre-vacuum pulse to purge the autoclave of all air. The waste shall be subjected to the following.
 - (i) a temperature of not less than 121 C° and a pressure of 15 psi for an autoclave residence time of not less than 45 minutes; or
 - (ii) a temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 30 minutes; or
- (III) Medical waste shall not be considered properly treated unless the time, temperature and pressure indicators indicate that the required time, temperature and pressure were reached during the autoclave process. If for any reasons, time temperature or pressure indicates that the required temperature, pressure or residence time was not reached, the entire load of medical waste must be autoclaved again until the proper temperature, pressure and residence time were achieved.
- (IV) *Recording of operational parameters.* - Each autoclave shall have graphic or computer recording devices which will automatically and continuously monitor and record dates, time of day, load identification number and operating parameters throughout the entire length of the autoclave cycle.
- (V) *Validation test: Spore testing.* - The autoclave should completely and consistently kill the approved biological indicator at the maximum design capacity of each autoclave unit. Biological indicator for autoclave shall be Bacillus stearotherophilus spores using vials or spore strips, with at least 1×10^4 spores per milliliter. Under no circumstances will an autoclave have minimum operating parameters less than a residence time of 30 minutes, regardless of temperature and pressure, a temperature less than 121 C° or a pressure, less than 15 psi.
- (VI) *Routine Test.*—A chemical indicator strip/tape that changes color when a certain temperature is reached can be used to verify that a specific temperature has been achieved. It may be necessary to use more that one strip over the waste package at different location to ensure that the inner content of the package has been adequately autoclaved.


Principal

Bhandara - 441903

11. Standards for deep burial:

1. A pit or trench should be dug about 2 meters deep. It should be half filled with waste, and then covered with lime within 50 cm of the surface, before filling the rest of the pit with soil.
 2. It must be ensured that animals do not have any access to burial sites. Covers of galvanized iron/wore meshes may be used.
 3. On each occasion, when wastes are added to the pit, a layer of 10 cm of soil shall be added to cover the wastes.
 4. Burial must be performed under close and dedicated supervision.
 5. The deep burial site should be relatively impermeable and no shallow well should be close to the site.
 6. The pits should be distant from habitation, and sited so as to ensure that no contamination occurs of any surface water or ground water. The area should not be prone to flooding or erosion.
 7. The location of the deep burial site will be authorized by the prescribed authority.
 8. The institution shall maintain a record of all pits for deep burial.
12. Every 'Authorized Person' shall submit an Annual Report to the prescribed authority in Form-II by 31st January every year including information about the categories and quantities of BMW handled during the preceding year.
13. (i) Every 'Authorized Person' shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW in accordance with these Rules and any guidelines issued.
(ii) All records shall be subject to inspection and verification by the prescribed authority at any time.
14. When any accident occurs at any institution or facility or any other site where BMW is handled or during transportation of such waste, the authorized person shall report the accident in Form III to the prescribed authority forthwith.
15. The Occupier will obey all the lawful instructions issued by the Board Officers from time to time.

For and on behalf of the
Maharashtra Pollution Control Board

(A. N. Katole)
Sub-Regional Officer,
M.P.C. Board, Bhandara.

To
The applicant,
DR. RAJDEEP RAJKUMAR CHAUDHARI,
Sparsh Multispeciality Hospital,
Bawankar Complex, Near HDFC Bank, Misikin Tank Gardan,
Near Petrol Pump & SBI Bank, Bhandara.

Authorization Fees Received:-

Sr. No.	Amount (Rs.)	TXN No./TXN Ref.	Date	Drawn on
1	3750.00	TXN1901001495	15-01-2020	Online payment

Copy to: Regional Officer, MPCB, for information.


Principal
Pooja Nursing College
Bhandara - 441904



सत्यमेव जयते
महाराष्ट्र शासन
नमुना " ड "(भिवम ६ पहा)

क्रमांक 0030339

संस्थानाचे सदस्य मित्रांचे स्वागत प्राप्त होत नाही.

मुंबई दुकाने व संस्था अधिनियम, १९४८ अंतर्गत
आस्थापनेचे नोंदणी प्रमाणपत्र

- (१) नोंदणी प्रमाणपत्र क्रमांक : मे/हॉस्पिटल/१८१/२०१५
 (२) आस्थापनाचे/दुकानाचे नाव : सुप्री मॅल्डी स्पेशालीटी हॉस्पिटल मेडागा
 (३) मालकाचे नाव : डॉ. राजदीप राजकुमार चौधरी
 (४) धंद्याचे स्वरूप : वैद्यकीय व्यवस्थापन
 (५) आस्थापनेचा ठाकेचा : काळवाकर डॉम्पल्स मिस्कींग रोड मेडागा
 पत्ता : मेडागा
 (६) संपूर्णपणे नोंदणी प्रमाणपत्राचा क्रमांक : _____
 (७) स्त्री/पुरुष : _____



मुंबई दुकाने व संस्था अधिनियम, १९४८ अंतर्गत
दुकाने निरीक्षक यांचे कार्यालय.

प्रमाणित _____ की सुप्री मॅल्डी स्पेशालीटी हॉस्पिटल मेडागा
 ही आस्थापना हॉस्पिटल म्हणून मुंबई दुकाने व संस्था अधिनियम, १९४८ अंतर्गत आज
 दिनांक २१/१२/२०१५ मदिना _____ २० _____ ला नोंदणी करण्यात आलेली आहे.

नोंदणी - २०१५
CH No. 170 of 1-12-14 Rs. 720

मुंबई दुकाने व संस्था अधिनियम, १९४८ अंतर्गत
 बरील नोंदणीकृत माहिती निरीक्षक वल असल्यास.
दुकाने व संस्था मंडळाचे.

नोंदणीचे नुतनीकरण

वर्ष (१)	नुतनीकरणाचा दिनांक आणि घालान क्र. व दिनांक (२)	प्रदान केलेले शुल्क (३)	मुंबई दुकाने व संस्था अधिनियम, १९४८ अंतर्गत निरीक्षकाची सही (४)
2015 2016	CH No. 170 of 1-12-14	Rs. 1440	<u>[Signature]</u> निरीक्षक दुकाने व संस्था मंडळाचे.

HOSPITAL DETAILS

Name of the Hospital: **Sparsh Multispeciality Hospital, Bhandara**

Distance: 04 Kms.

Specialty: Multi Speciality

No. of Beds	Medical	Surgical	Casualty	ICU	No. of OT		No. of Operation Tables		No. of Surgeries		No. of IPD per year	No. of OPD per year
					Major	Minor	Major	Minor	Per Day	Per Month		
100	35	35	20	10	1	2	3	3	60-90	13200	33500	3450


Principal
Pooja Nursing College
Bhandara - 441907



महाराष्ट्र MAHARASHTRA

पूजा नर्सिंग कॉलेज भंडारा

2020


AY 781139

क्रमांक - 6222
 किंमत - 500/-
 दिनांक - 10/01/2021
 मुद्रांकाचा उपयोग
 कोड नं. 8909008 कशरबाभा

म. अमोल भुरे



A. B. B. B.



Memorandum of Understanding

This Understanding between -

- 1) Bhondekar Sanskrutik Krida Va Samajik Sikshan Sanstha's, Pooja Nursing College (Basic B.Sc. Nursing, Post Basic B.Sc. Nursing & M.Sc. Nursing), Bhandara and
- 2) Director, Sai Suman Orthopaedic & Child Hospital, Bhandara

Principal
 Pooja Nursing College
 Bhandara - 44190'

CANCELLED
NOTARIAL
CANCELLED
NOTARIAL
CANCELLED
NOTARIAL
CANCELLED
NOTARIAL
CANCELLED
NOTARIAL

That, Student from Basic B.Sc. Nursing, Post Basic B.Sc. Nursing & M.Sc. Nursing of Pooja Nursing College, Kisan Chowk, Bank Colony, Sahakar Nagar, Bhandara are allowed to do Practical Nursing Training in Sai Suman Orthopaedic & Child Hospital, Lala Lajpatrai Ward, Bhandara. As per the agreement between both parties nursing students will be trained under expert supervision from the ward In charges of Sai Suman Orthopaedic & Child Hospital, Bhandara & Clinical Instructors from Pooja Nursing College, Bhandara.
Sai Suman Orthopaedic & Child Hospital is 100 bedded Hospital.

Date :- 4.01.2021
Place :- Bhandara



1) President, अध्यक्ष / उपाध्यक्ष / सदस्य
Bhondekar Sanskrutik Krida Va
Samajik Sikshan Sanstha, Bhandara.

NOTARIAL REG.
ENTRY NO. 476
DATE: 14-1-2021

2) Director,
Sai Suman Orthopaedic & Child
Hospital, Bhandara.



ATTESTATION OF AFFIDAVIT
I solemnly affirm that this is my name
& signature / Mark and that the
contents of this affidavit are true.

This No. P. V. is
Signature of Deponent Executed by Ramesh Chandra
Identified by Vinod
Wanshaw Wanshaw
270, 3rd floor

Rajesh Y. Raut
NOTARY
Regd. No. 20287
Sant Tukadoji Ward,
Near LIC Office, Bhandara (M.S.)

Principal
Pooja Nursing College
Bhandara - 441904



BHANDARA MUNICIPAL
COUNCIL
DIST. BHANDARA

No. 471/NPB/2020

Date.
12/02/2020

Certificate of Registration

Under Section 5 of the Bombay Nursing Home Registration Act, 1949
[Under Rules 5]

This is to Certify that Dr. ATULKUMAR A. TEMBHURNE has
been registreded under the bomby Nursing Home Registration act, 1949
in respect of Saisuman Orthopedic Child situated at
Lalapatreei Ward Bhandara and has been aurtorised to carry on the
HOSPITAL
said Maternity Home/Nursing Home.

Registraion No.	:	<u>70</u>	
Date Registraion	:	<u>12-02-2013</u>	
Maternity	:	<u>00</u>	Beds
Other Nursing Patients	:	<u>100</u>	Beds
Date of Issue of Certificate	:	<u>12-02-2020</u>	

This certificate shall be valid up to 31 March 2024



[Signature]
Chief Officer
Nagar Palikha, Bhand
Municipal Council,
Bhandara.

[Signature]
Principal
Pooja Nursing College
Bhandara - 44190'

MAHARASHTRA POLLUTION CONTROL BOARD



Website : mpcb.mah.nic.in
E-Mail : srobhandara@mpcb.gov.in
Fax : 260629
Phone : 07184 - 260629

Sub - Regional Office,
Sant Tukdoji Ward,
Petkar Building,
Bhandara - 441904.

Letter of Bio-Medical Waste Authorization.


Authorization for operating a facility for (Generation, Collection, Reception, Transportation, Treatment, Storage and Disposal) of Bio-Medical Wastes.

- I) File number of Authorization and date of issue.
MPCB/SRO/BMW-Bhandara/ 02 /2019 Dated : 28 /05 /2019
- II) M/s. Sai Suman Orthopedics & Child Hospital, (Beds -100) is hereby granted an authorization for handling bio-medical waste on the premises situated Dr. Atulkumar A. Tembhurne, C/o R.M. Devdiya, Plot No. 134, Santaji Ward, Near Jalaram Mangal Karyalaya, Bhandara, Dist. Bhandara.
- III) This authorization shall be in force for a period up to 31/03/2024 An application shall be made by the occupier/operator for renewal 90 days before expiry of earlier authorization.
- IV) This authorization is issued subject to compliance of the conditions stated below and to such other conditions as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986.

Terms and conditions of authorization.

1. The authorized Person shall comply with the provisions of the Environment (Protection) Act, 1986 and the Rules made there under.
2. The authorization shall be produced for inspection at the request of an Officer authorized by the prescribed authority.
3. i) The authorized person shall not rent, lend or sell the bio-medical waste facility.
ii) The authorized person can transfer the BMW generated at above premises to the "Transporter" or " Operator of facility" authorized by MPCB under Bio-Medical Waste (Management and Handling) Rules 1998 for collection, transportation treatment and/or disposal of BMW generated.
4. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.
5. It is the duty of the authorized person to take prior permission of the prescribed authority to close down the facility.




Principal
Dooja Nursing College
Bhandara - 441904

6. The authorization is granted for Generation, Collection, Reception, Transportation, Storage, Treatment and Disposal of Bio-Medical Waste (BMW) in waste categories and quantities listed hereinbelow.


Sr. No.	Category No.	Description	Quantity/Mon.
1.	1	Human Anatomical Waste	2 kg
2.	2	Animal Waste.	---
3.	3	Microbiology & Biotechnology Waste	---
4.	4	Waste Sharps.	200 gm
5.	5	Discarded Medicines and Cytotoxic drugs.	500 gm
6.	6	Soiled Waste.	1 Kg
7.	7	Solid Waste.	600 gm
8.	8	Liquid Waste.	3000 liters
9.	9	Incineration Ash.	---
10.	10	Chemical Waste.	---

7. Bio-Medical Waste confined to the Board's Standards shall be disposed off to M/s. Krupa Wastages, Gat No 530, At - Dahegaon, Tq - Amgaon, Dist - Gondia.
8. The liquid waste generated from the hospital (from Laboratory and washing, cleaning, housekeeping and disinfecting activities) shall be treated suitably to conform to the standards prescribed in Schedule V of said Rules and the Environment (Protection) Act, 1986.
9. i) BMW shall be treated and disposed off in accordance with Schedule I and in compliance with the standards prescribed in Schedule V of said Rules.
ii) Every occupier, where required, shall set up requisite BMW treatment facilities like incinerator, autoclave, microwave system or any other State of the art technology for the treatment of waste or ensure requisite treatment of waste at a common waste treatment facility or any other waste treatment facility according to the BMW Rules.
10. i) BMW shall not be mixed with other wastes or reused, recycled or sold in any form.
ii) BMW shall be segregated into containers/bags at the point of generation in accordance with Schedule-II prior to storage, treatment and disposal. The containers shall be labeled according to Schedule-III.
iii) In a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the label prescribed in Schedule-III, also carry information prescribed in Schedule-IV and shall be transported by authorized Transporter only.
iv) Notwithstanding anything contained in the Motor Vehicles Act, 1988 or Rules thereunder, BMW shall be transported only in such vehicle as may be authorized for the purpose by the competent authority as specified by the Government.
v) No untreated BMW shall be kept stored beyond a period of 48 hours.

11. Every "Authorized Person" shall submit an Annual Report to the prescribed authority in Form-II by 31st January every year including information about the categories and quantities of BMW handled during the preceding year.
12. i) Every "Authorized Person" shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW in accordance with these Rules and any guidelines issued.
ii) All records shall be subject to inspection and verification by the prescribed authority at any time.
13. When any accident occurs at any institution or facility or any other site where BMW is handled or during transportation of such waste, the authorized person shall report the accident in Form-III to the prescribed authority forthwith.
14. The occupier will obey all the lawful instructions issued by the Board Officers from time to time.

This is issued without prejudice to the Directions issued by the Board.

For and on behalf of the
Maharashtra Pollution Control Board



(L. S. Bhad)

Sub-Regional Officer.

To,
Ms. Sai Suman Orthopedics & Child Hospital,
At Dr. Atulkumar A. Tembhone,
C/o R.M. Devdiya, Plot NO. 134,
Santaji Ward, Near Jalaram Mangal Karyalaya,
Bhandara, Dist. Bhandara.



Copy submitted to :
The Member Secretary, M.P.C. Board, Mumbai.

Copy Submitted to :
The Chief Accounts Officer, M.P.C. Board, Mumbai.
Fees Exempted Rs. 1250 /- Vide D.D. No. 490534, Dtd. 13/02/2019,
Drawn on: - S. B. I. Bank, Bhandara.

Copy Submitted to :
The Regional Officer, M.P.C. Board, Nagpur


Principal
Pooja Nursing College
Bhandara - 441907

HOSPITAL DETAILS

Name of the Hospital: **Sai Suman Orthopedic & Child Hospital, Bhandara**

Distance: 03 Kms.

Specialty: Multi Speciality Hospital

No. of Beds	Male Ortho	Female Ortho	Paediatric	NICU	PICU	No. of OT		No. of Operation Tables		No. of Surgeries		No. of IPD per year	No. of OPD per year
						Major	Minor	Major	Minor	Per Day	Per Month		
100	30	30	20	10	10	1	1	3	1	3	90	13800	34500


Principal
Pooja Nursing College
Bhandara - 441904



महाराष्ट्र MAHARASHTRA

2021

BD 496650

के. पी. मुद्दे...
स्टॅम्प व्हेंडर भंडारा
ता.नं. 4/90-90
महाकावा उपयोग
सिड नं. 8909008

क्रमांक- 46
किंमत- 400/-
दिनांक- 29/05/2021

मा. डीमोल अफे

जिल्हा कोषागार कार्यालय, भंडारा.
पुरवठा दिनांक
12 0 MAY 2021
पहनाम. मुलांक प्रतिक लिपीज

A. B. MORE

Memorandum of Understanding

NOTARIAL REG.
ENTRY NO. 455
DATE 14/09/2021

This Understanding between -

- 1) Bhondekar Sanskrutik Krida Va Samajik Sikshan Sanstha's, Pooja Nursing College (M.Sc. Nursing), Bhandara and



Director, Shrikrishna Hrudayalaya & Critical Care Centre, Nagpur.

CANCELLED


[Signature]
Principal
Pooja Nursing College
Bhandara - 441904

That, Student from M.Sc. Nursing of Pooja Nursing College, Kisan Chowk, Bank Colony, Sahakar Nagar, Bhandara are allowed to do Practical Nursing Training in Shrikrishna Hrudayalaya & Critical Care Centre, 25, Tikekar Road, Congress Nagar Square, Dhantoli, Nagpur. As per the agreement between both parties nursing students will be trained under expert supervision from the ward In charges of Shrikrishna Hrudayalaya & Critical Care Centre, Nagpur & Nursing Faculties from Pooja Nursing College, Bhandara.
Shrikrishna Hrudayalaya & Critical Care Centre is 100 bedded Hospital.


Date :- 24/05/2021

Place :- Bhandara





अध्यक्ष / सचिव
श्रीकृष्ण सांस्कृतिक क्रीडा व सामाजिक शिक्षण संस्था
भंडारा - 441904

President, (Mrs. Jaymal R. Chande)
Bhondekar Sanskrutik Krida Va
Samajik Sikshan Sanstha, Bhandara.


Director, (Dr. Mahesh C. Fichani)
Shrikrishna Hrudayalaya & Critical
Care Centre, Nagpur.

ATTESTED





JAYANT V. VAIDYA
NOTARY
BHANDARA (M.P.)


Principal

Pooja Nursing College
Bhandara - 441904

NAGPUR MUNICIPAL CORPORATION, NAGPUR

(HEALTH DEPARTMENT)



FORM-C

Certificate of Registration under Section 5 of Bombay Nursing Home
Registration Act, 1949 (rule 5)

Nursing Home Registration Certificate

This is to certify that Shri/Smt. Dr. Mahesh Fulwani (MD, DM, DNB) has been registered under the Bombay Nursing Home Registration Act 1949 in respect of Shrikrishna Hrudayalaya & Critical Care Centre situated at 25, Tikekar Road, Congress Nagar Square, Dhantoli, Nagpur and has been authorized to carry on the said nursing home.

Registration No. : 756

Date of Registration : 16/02/2008

Place : Nagpur


Date of issue of certificate : 01/04/2020

Maternity : 0 Beds


Other Nursing : 100 Beds

This certificate of registration shall be valid up to 31st March 2025.




Registering Authority
Medical Officer Health
Nagpur Municipal Corporation

This Certificate of Registration should be displayed at prominent place.


Pooja Nursing College
Bhandara - 441904

NAGPUR MUNICIPAL CORPORATION, NAGPUR

(HEALTH DEPARTMENT)



FORM-C

Certificate of Registration under Section 5 of Bombay Nursing Home
Registration Act, 1949 (rule 5)

Nursing Home Registration Certificate

This is to certify that Shri/Smt. Dr. Mahesh Fulwani (MD, DM, DNB) has been registered under the Bombay Nursing Home Registration Act 1949 in respect of Shrikrishna Hrudayalaya & Critical Care Centre situated at 25, Tikekar Road, Congress Nagar Square, Dhantoli, Nagpur and has been authorized to carry on the said nursing home.

Registration No. : 756

Date of Registration : 16/02/2008

Place : Nagpur


Date of issue of certificate : 01/04/2020

Maternity : 0 Beds


Other Nursing : 100 Beds

This certificate of registration shall be valid up to 31st March 2025.




23/4/2020
Registering Authority
Medical Officer Health
Nagpur Municipal Corporation

This Certificate of Registration should be displayed at prominent place.


Pooja Nursing College
Bhandara - 441904

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 95712 -2560139 / 52



5 th Floor, Udyog Bhawan Civil lines

Fax : 95712 - 2560851

Email : ronagpur@mpcb.gov.in

Nagpur - 440 001.

Visit At : <http://mpcb.gov.in>

LETTER OF BIO-MEDICAL WASTE AUTHORISATION [Authorisation for of Bio-Medical Wastes under See Rule 10]

(Authorisation for operating a facility for generation, collection, reception, treatment, storage, transport and disposal of biomedical waste)

- I. File number of authorisation and date of issue
MPC/NRO/BMW/UAN No 22503/1906000337 dtd:- 20/6/2022
- II. Shrikrishna Hrudayalaya & Critical Care Centre., is hereby granted an authorisation for generation of biomedical waste on the premises situated at Congress Nagar, Dhantoli, Dist. Nagpur.
- III. This authorisation shall be in force for a period up to 31/05/2025. an application shall be made by the occupier/operator for renewal 3 Months before expiry of earlier authorisation.
- IV. This authorisation is issued subject to compliance of the conditions stated below and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act, 1986.
- V. No of Beds: 100 beds.

Terms and Conditions of authorisation


1. The authorisation shall comply with the provisions of the Environment (Protection) Act, 1986 and the rules made there under.
2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorized by the prescribed authority.
3. The personal authorized shall not rent, lend, sell, transfer or otherwise transport the biomedical wastes without obtaining prior permission of the prescribed authority.
4. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.
5. It is the duty of the authorized person to take prior permission of the prescribed authority to close down the facility and such other terms and conditions may be stipulated by the prescribed authority.
6. The authorisation is granted for generation of Bio-Medical Waste (BMW) in waste categories and quantities listed here in below :

Sr. No.	Category	Type of Waste	Quantity Generated or Collected, Kg/Day	Method of Treatment and Disposal (Schedule-I)
1	Yellow	a) Human Anatomical Waste	10 Kg/Month	Bio-medical Waste

		b) Animal Anatomical Waste	--	CBMWTSDF authorised by MPCB
		c) Soiled Waste	66 Kg/Month	
		d) Expired or Discarded Medicines	--	
		e) Chemical Solid Waste	0 Kg/Month	
		f) Chemical Liquid Waste	---	
		g) Discarded Linen, Mattresses, beddings contaminated with blood or body fluid.	5 Kg/Month	
		h) Microbiology, Biotechnology and other clinical laboratory waste	0 Kg/Month	
2	Red	Contaminated Waste (Recyclable)	66 Kg/Month	Bio-medical Waste shall be sent to CBMWTSDF authorised by MPCB
3	White (Translucent)	Waste Sharps including Metals	20 Kg/Month	Bio-medical Waste shall be sent to CBMWTSDF authorised by MPCB
4	Blue	Glassware Metallic Body Implants	---	Bio-medical Waste shall be sent to CBMWTSDF authorised by MPCB

7. The liquid/solid waste generated from the treatment activity (from laboratory and washing, cleaning, housekeeping and disinfecting activities) shall be treated suitably by providing effluent treatment facility to conform the standards prescribed in Schedule II of said Rules and the Environment (Protection) Act, 1986.
8. (i) BMW shall be treated and disposed of in accordance with Schedule I; and in compliance with the standards prescribed in Schedule II of said Rules.
- (ii) You shall setup requisite BMW, treatment facilities like incinerator, autoclave / Microwave, shredder etc., at the disposal side in accordance with the BMW rules 2016. You shall disposed of the duly treated BMW and incineration ash in secured land fill site at your own premises / at MSW secured land fill site of Municipal Council authorized by MPCB and duly earmarked for disposal of treated BMW / at common H.W. treatment & disposal facility setup as per the Hazardous Waste (M & TM) Rules, 2016 as amended and authorized by MPCB.
9. (i) BMW shall not be mixed with other wastes or reused, recycled or sold in any form.
- (ii) BMW shall be segregated into containers / bags at the point of generation in accordance with Schedule-I prior to storage, treatment and disposal. The containers shall be labeled according to Schedule IV- Part-A.
- (iii) If a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the Label prescribed in Schedule IX, also carry information prescribed in Schedule IV Part B and shall be transported by authorized Transporter.

[Handwritten signature]



[Handwritten signature]

Principal
Pooja Nursing College

- (iv) Notwithstanding anything contained in the Motor Vehicles Act, 1988 or Rules there under, BMW shall be transported only in such vehicle as may be authorized for the purpose by the competent authority as specified by the Government.
- (v) Untreated human anatomical waste, animal anatomical waste, soiled waste and, biotechnology waste shall not be stored beyond a period of forty- eight hours.

Provided that in case for any reason it becomes necessary to store such waste beyond such a period, the occupier shall take appropriate measures to ensure that the waste does not adversely affect human health and the environment and inform the prescribed authority along with the reasons for doing so.

- (vi) Microbiology waste and all other clinical laboratory waste shall be pre-treated by sterilisation to Log 6 or disinfection to Log 4, as per the World Health Organisation guidelines before packing and sending to the common bio-medical waste treatment facility.

10. Standards for waste autoclaving:

The autoclave should be dedicated for the purposes of disinfecting and treating bio-medical waste,

- (I) When operating a gravity flow autoclave, medical waste shall be Subjected to:
 - (i) a temperature of not less than 121 C° and pressure of 15 pounds per Square inch (psi) for an autoclave residence time of not less than 60 minutes; or
 - (ii) a temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 45 minutes; or
 - (iii) a temperature of not less than 149 C° and a pressure of 52 psi for an autoclave residence time of not less than 30 minutes.
- (II) When operating a vacuum autoclave, medical waste shall be subjected to a minimum of one pre-vacuum pulse to purge the autoclave of all air. The waste shall be subjected to the following.
 - (i) a temperature of not less than 121 C° and a pressure of 15 psi for an autoclave residence time of not less than 45 minutes; or
 - (ii) a temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 30 minutes; or
- (III) Medical waste shall not be considered properly treated unless the time, temperature and pressure indicators indicate that the required time, temperature and pressure were reached during the autoclave process. If for any reasons, time temperature or pressure indicates that the required temperature, pressure or residence time was not reached, the entire load of medical waste must be autoclaved again until the proper temperature, pressure and residence time were achieved.
- (IV) *Recording of operational parameters*,- Each autoclave shall have graphic or computer recording devices which will automatically and continuously monitor and record dates, time of day, load identification number and operating parameters throughout the entire length of the autoclave cycle.
- (V) *Validation test: Spore testing*. - The autoclave should completely and consistently kill the approved biological indicator at the maximum design capacity of each autoclave unit. Biological indicator for autoclave shall be *Bacillus stearothermophilus* spores using vials or spore strips, with at least 1×10^8 spores.



per milliliter. Under no circumstances will an autoclave have minimum operating parameters less than a residence time of 30 minutes, regardless of temperature and pressure, a temperature less than 121 C° or a pressure, less than 15 psi.

- (VI) Routine Test.—A chemical indicator strip/tape that changes color when a certain temperature is reached can be used to verify that a specific temperature has been achieved. It may be necessary to use more than one strip over the waste package at different location to ensure that the inner content of the package has been adequately autoclaved.
11. Every 'Authorized Person' shall submit an Annual Report to the prescribed authority in Form-IV by 31st January every year including information about the categories and quantities of BMW handled during the preceding year.
12. (i) Every 'Authorized Person' shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW for period of 5 years in accordance with these Rules and any guidelines issued.
- (ii) All records shall be subject to inspection and verification by the prescribed authority at any time.
13. Accident reporting – 1) In case of any major accident at any institution or facility or any other site while handling bio-medical waste, the authorized person shall intimate immediately to the prescribed authority about such accident and forward a report within twenty-four hours in writing regarding the remedial steps taken in Form I.
- 2) Information regarding all other accidents and remedial steps taken shall be provided in the annual report in accordance with rule 13 by the occupier.

14. You have submitted total Bank Guarantee of Rs. 1,50,000/- valid up to 14/05/2023. Specific conditions with Bank Guarantees along with time bound programme for compliance as per Board's circular no MPCB/PSO/BMW/B-1825 dtd 10/04/2013 is as follows-

Sr. No.	Activity/Condition to be Complied	Compliance Timeline (Months)	Amount of Bank Guarantee (Rs)
I(A) Operation and Maintenance			
1	To segregate and Handle BMW as per rule	Continuous	25,000
2	Operation and Maintenance of ETP to achieve prescribed discharged standards.	Continuous	25,000
I(B) Records			
1	To Maintain records of BMW and submission of Annual Report in Form-II before 31 st January	Continuous	15,000
2	To Maintain records of BMW material received / delivered to authorized party / CBMW/TSDF (Transporters only)	Continuous	10,000
II Performance			
1	To provide Separate BMW storage facility	Six	25,000
2	Effluent treatment plant not provided / need up gradation	Six	50,000
		Total	1,50,000/-
Rupees One Lakh Fifty Thousand only			

15. You shall submit compliance of each Bank Guarantee conditions every six months to Regional Officer, Nagpur for verification purpose.




Pooja
Pooja Nursing College
Bhandara - 441904

16. Ensure treatment and disposal of liquid waste in accordance with Water (Prevention and Control of Pollution) Act, 1974 (6 of 1974) and comply Bio-Medical Waste Management Rules 2016 & Amendment 2018.

17. Conditions for D.G. Set

- a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b. Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c. The industry shall take adequate measures for control of noise levels from its own sources within the premises in respect of noise to less than 55 dB(A) during day time and 45 dB(A) during the night time. Day time is reckoned between 6 a.m. to 10 p.m and night time is reckoned between 10 p.m to 6 a.m.
 - d. Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - e. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - f. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
 - g. D.G. Set shall be operated only in case of power failure
 - h. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set
18. The Occupier will obey all the lawful instructions issued by the Board Officers from time to time.

For and on behalf of the
Maharashtra Pollution Control Board


(Rahul M. Wankhede)
Regional Officer, Nagpur.

To
Shrikrishna Hrudayalaya & Critical Care Centre
Congress Nagar, Dhantoli, Dist. Nagpur.

Authorization Fees Received:-

Sr. No.	Amount	D.D. No.	Date
1	7500	5451473	29 May 2022




Copy Submitted to:-

1. The Chief Accounts Officer, MPCB Board Mumbai
2. The Principal Scientific Officer, MPCB, Sion, Mumbai

Copy to:-

Sub-Regional Officer, M. P. C. Board, Nagpur-I.

For information necessary compliance of condition mentioned in the authorization. He / She is also directed to ensure the timely compliance of condition no. 14.


Pooja Nursing College
201905

HOSPITAL DETAILS

Name of the Hospital: **Shrikrishna Hrudayalay & Critical Care Centre, Nagpur**

Distance: 55 Kms.

Specialty: Cardiac Hospital

No. of Beds	Male Ward	Female Ward	RR	Casualty	ICU	ICCU	No. of OT		No. of Operation Tables		No. of Surgeries		No. of IPD per year	No. of OPD per year
							Major	Minor	Major	Minor	Per Day	Per Month		
100	30	30	10	6	12	12	3	2	3	2	6	180	31025	65378


Principal
Dooja Nursing College
Bhandara - 441904



महाराष्ट्र MAHARASHTRA

० 2021 ०

BD 496646

के. पी. भुरे
स्टॅम्प व्हेंडर भंडारा
क्रमांक- 464
किंमत- 400/-
दिनांक- 29/04/2021
मुद्रांकाचा उपयोग
कोड नं. 8709008

श्री. अमोल भुरे



Memorandum of Understanding

This Understanding between -

- 1) Bhondekar Sanskrutik Krida Va Samajik Sikshan Sanstha's, Pooja Nursing College (M.Sc. Nursing), Bhandara and
- 2) Director, Nelson Mother And Child Hospital, Nagpur.




Pooja Nursing College
Bhandara - 441904

That, Student from M.Sc. Nursing of Pooja Nursing College, Kisan Chowk, Bank Colony, Sahakar Nagar, Bhandara are allowed to do Practical Nursing Training in Nelson Mother And Child Hospital, Plot No. 32, Behind Hitvada, Dhantoli, Nagpur. As per the agreement between both parties nursing students will be trained under expert supervision from the ward In charges of Nelson Mother And Child Hospital, Nagpur & Nursing Faculties from Pooja Nursing College, Bhandara. Nelson Mother And Child Hospital is 100 bedded Hospital.

Date :- 21/05/2021

Place :- Nagpur

1) President,
अध्यक्ष / सचिव
भोंडेकर सांस्कृतिक क्रीडा व सामाजिक शिक्षण संस्था
भंडारा - ४४११०४
Bhondekar Sanskrutik Krida Va
Samajik Sikshan Sanstha, Bhandara.
Jaymala. Ramesh chavare

2) Director,
Nelson Mother And Child Hospital,
Nagpur.



ATTESTED

JAYANT V. VAIRAGADE
NOTARY
BHANDARA (M.S.)
INDIA.



Pooja Nursing College
Bhandara - 441907

NAGPUR MUNICIPAL CORPORATION, NAGPUR
(HEALTH DEPARTMENT)



FORM-C

Certificate of Registration under Section 5 of Bombay Nursing Home
Registration Act, 1949 (rule 5)

Nursing Home Registration Certificate

This is to certify that Shri/Smt. **Mr. MAHENDRA R. THAKUR (DIRECTOR)** has been registered under the Bombay Nursing Home Registration Act 1949, in respect of **NELSON MOTHER & CHILD CARE HOSPITAL (A UNIT OF SMD HOSPITALS PVT. LTD.)** situated at **PLOT NO. 32, BEHIND HITAVADA, BESIDES SPANDAN HOSPITAL, DHANTOLI, NAGPUR** and has been authorized to carry on the said nursing home.

Registration No. : 995

Maternity : 15 Beds

Date of Registration : 26/04/2018

Other Nursing : 85 Beds

Place : Nagpur

Date of issue of certificate : 01/04/2021

This certificate of registration shall be valid up to 31st March 2024.



(Dr. Sanjay Chilkar)
Registering Authority
Health Officer
Nagpur Municipal Corporation

This Certificate of Registration should be displayed at prominent place.

Pooja Nursing College
Bhandara - 441901

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24016437/24020781/24014701
 Fax: 24024068 /24023515
 Website: <http://mpcb.gov.in>
 E-mail: mpcb@gov.in



Kalpataru Point, 2nd - 4th Floor,
 Opp. Cine Planet Cinema,
 Near Sion Circle, Sion (E)
 Mumbai - 400 022

Red/LSI

Date: 26/08/2020.

Consent No: Format I.0/BO/PSO/HOD- 1908 000/64

To,
 Nelson Mother & Child care Hospital,
 (A Unit of SMD Hospital Pvt.Ltd.),
 Mouje - Lendra, Plot No. 32,
 Bhumapan No. 1187, Dhantoli,
 Nagpur- 440012

Sub : Combined Consent to Operate & BMW Authorization under RED Category to Health Care Establishment (HCE).

Ref : 1. Your BMW Authorization & Consent application resubmitted to MPCB, HQ, Mumbai on 17/07/2020
 2. Documents uploaded on Web Portal

Consent to Operate

under Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981, Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 and Biomedical Waste Management Rules 2016 is considered and the consent is hereby granted subject to following terms and conditions and as detailed in the schedule I, II, III, IV & V annexed to this order:

- The conditional consent to operate is granted for a period from 29.04.2020 to 31.01.2024
- The capital investment of the HCE is Rs. 36.93 Crore.
(As per C. A. Certificate submitted)
- The Consent is valid for the Activity of -

Sr. No.	Activity	Beds
1	Hospital	
	a) Beds	100 Nos.
	b) Total Plot Area	9926 sq. mtrs
	c) Total Built up Area	3587 sq. mtrs

- Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	3.0	As per Schedule -I	On land for gardening
2.	Domestic effluent	20.0	As per Schedule -I	

- Conditions under Air (P&CP) Act, 1981 for air emissions:

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1.	D.G.Set (500 KVA)	1 No.	As per Schedule - II

M/s. Nelson Mother & Child Care Hospital, Nagpur

[Signature]
 Principal


Booja Nursing College,
 Bhandara - 441904

6. Non-Hazardous Solid Wastes;

Sr. No.	Type of Waste	Quantity	UOM	Treatment	Disposal
1	Sludge from Sewage Water treatment	As per Actual	MT/Year		Municipal Landfill

7. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
8. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.
9. This consent is issued subject to conditions mentioned below;
- i) The "authorized Person" M/s. Nelson Mother & Child Care Hospital, Nagpur shall comply with the provisions of the Environment (Protection) Act, 1986, and Rules made there under.
 - ii) Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.
 - iii) If the built up area exceeds more than 20,000 sq. mtrs. and if the hospital is commissioned after 14.09.2006, the project proponent shall comply with the Notification 14.09.2006 by obtaining Environment Clearance.
 - iv) You shall submit details of Management and Handling of outdated, discarded, unused **Cytotoxic drugs** generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on www.cpcb.nic.in alongwith Annual Report to MPCB with a copy to CPCB before 30th June every year.
 - (iv) You shall manage the **Mercury Waste** in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dated: 07.09.2006 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities".
 - (v) You shall ensure phase out of chlorinated plastic bags, gloves and blood bags by HCEs within two years;
 - (vi) You shall establish Bar code system within one year.
 - (vii) You shall ensure that the liquid waste is treated and disposed by all the occupier or operator of a CBWIF in accordance with the Water Act, 1974;
 - (viii) You shall maintain day to day basis and display the monthly record including Annual report on its website within two years from the date of notification.

M/s. Nelson Mother & Child Care Hospital, Nagpur


Principal
Bhoja Nursing College
Bhandara - 441907

- (ix) As per the report of SRO- Nagpur-I Bank Guarantee of Rs. 75,000/- is eligible for release for provision of separate BMW storage facility and installation of STP. Also, Bank Guarantee of Rs. 25,000/- is eligible for forfeiture for improper Operation and maintenance of STP and double Bank Guarantee is imposed.
- (x) You shall submit separate Bank Guarantee of Rs. 1,00,000/- towards compliance of condition mentioned at Annexure - IV to Regional Office, Nagpur within 30 days.
- (xi) You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, Nagpur for verification purpose.
- (xii) You shall submit application for renewal of Combined Consent and Biomedical Waste authorization before 120 days along with appropriate fees.

For and on behalf of the
Maharashtra Pollution Control Board

(Dr. A.R. Supate)
Principal Scientific Officer


Received Consent / Authorization fee of -

Sr. No.	Amount (₹)	Dr no.	Date
1	2,25,000/-	TXN1904002361	24.04.2020
2	15,000/-	TXN1904002760	30.04.2020

Copy to:

1. Regional Officer - MPCB, Nagpur and Sub-Regional Officer - Nagpur-I, MPCB - They are directed to ensure the compliance of the CCA conditions.
2. Chief Accounts Officer, MPCB, Mumbai - for information.

M/s. Nelson Mother & Child Care Hospital, Nagpur


Dooja Nursing College
Shandara - 441907
Page 3 of 9

Schedule-I

D) Terms & Conditions for compliance of Water Pollution Control

- 1) A) You shall provide combined waste water primary treatment for the Trade effluent and domestic sewage generated from the hospital and thereafter the treated effluent shall be discharged in to Sewage Treatment Plant with the adequate design capacity followed by Chlorination and the treated water shall be disposal to Municipal Sewer / Land application after achieving standard prescribed below:
- B) The Applicant shall operate the combined waste water treatment plant to treat the trade and domestic effluent so as to achieve the following standards prescribed by the Board or under E P Act, 1986 and Rules made there under from time to time whichever is stringent.

Sr. No.	Parameters	Discharge Standards applicable
Limiting Concentration in mg/l, except for pH		
01	pH	6.5-9.0
02	Oil & Grease	10
03	BOD (3 days 27°C)	30
05	COD	250
06	Total Suspended Solids	100
08	Bio-Assay test	90 % survival of fish after 96 hours in 100 % effluent

- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waste water & the system for the disposal of effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps for expansion / modify or establish any modified treatment and disposal system or an extension or addition thereto.
- 3) You shall ensure replacement of pollution control system or its parts after expiry of expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) You shall provide Specific Water Pollution control system as per the conditions of EP Act 1986 and rule made there under from time to time.

II) Water Consumption

Sr. No.	Purpose for water consumed	Water Consumption quantity CMD
1.	Industrial Cooling and boiler feed etc.	---
2.	Domestic purpose	23.0
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	4.0
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	---
5	Other such as agriculture, gardening, etc.	---

M/s. Nelson Mother & Child Care Hospital, Nagpur

Page 4 of 9


Principal

Pooja Nursing College
Bhandara - 441904

Schedule-II

Terms & conditions for compliance of Air Pollution Control

1. As per your application, you have proposed / provided the Air pollution control (APC) system and also proposed to erect/erected following stack (s) to observe the following pattern-

Sr. No.	Stack Attached to	Height in meter	Type of Fuel	Quantity lit/hr
1	D.G. Set (500.0 KVA)	1.0	HSD	25.0

2. The applicant shall provide stack height of 1.0 mtrs operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm ³
--------------------	---------------	------------------------

3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent if due to any technological improvement or otherwise such variation (including the change of control equipment, other in whole or in part is necessary).
5. Conditions for D.G. Set
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendation of Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.

Schedule-III

Treatment and Disposal of Biomedical Waste generated from Hospital to CBMWTSDF

The authorisation is granted for generation and disposal of Bio-Medical Waste (BMW) to CBMWTSDF in waste categories and quantities listed here in below :

Sr. No.	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	10.0	Yellow coloured non-chlorinated plastic bags	No on-site treatment is permitted. Above mentioned Bio medical Waste shall be sent to Common BMW Treatment & Disposal facility authorized by MPCB i.e. Superb Hygienic Disposal CBMWTSDF, Nagpur
		b) Animal Anatomical Waste	--		
		c) Soiled Waste	160.0		
		d) Expired or Discarded Medicines	20.0		
		e) Chemical Waste	--	Separate collection system leading to effluent treatment system	
		f) Chemical Liquid Waste	--		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	--		
		h) Microbiology Biotechnology and other clinical laboratory waste.	30.0	Autoclave safe plastic bags or containers	
2	Red	Contaminated waste (Recyclable)	60.0	Red coloured non-chlorinated plastic bags or containers	
3	White (Translucent)	Waste sharps including Metals	30.0	Puncture proof, Leak proof, tamper proof container.	
4	Blue	a) Glassware	10.0	Puncture Proof and leak proof boxes with Blue colored marking	
		b) Metallic body implants	--		

Schedule-IV : Bank Guarantees

Statement of conditions to be complied and Bank Guarantee imposed to ensure timely compliance to be observed by M/s. Nelson Mother & Child Care Hospital, Nagpur

Sr. No.	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
I (A)	Operation and Maintenance		
1	To Segregate and Handle BMW as per Rule	Continuous	25,000/-
2	Operation and Maintenance of combined waste water treatment plant to achieve prescribed discharged standards	Continuous	50,000/-
I (B)	Records		
1	To Maintain records of BMW and submission of Annual Report in Form -II before 30th June	Continuous	15,000/-
2	To maintain records of BMW material delivered to CBMWTSDF	Continuous	10,000/-
		Total	1,00,000/-
Rupees One Lakh only			

Note : You shall submit the B.G. valid for additional 4 month period after the validity of your granted CCA.

M/s. Nelson Mother & Child Care Hospital, Nagpur


Principal
Pooja Nursing College
Bhandara - 441904


Schedule-V

General Conditions

The following general conditions shall apply as per the type of the industry

- 1) You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) You should monitor effluent quality, stack emissions, noise and ambient air quality.
- 3) You shall provide ports in the chimney/(s) and facilities such as ladder, platform etc for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 4) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 5) You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 6) You shall submit, the Environmental Statement Report for the financial year ending March in the prescribed Form-V, as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 to Regional Office, Nagpur, the 30th day of September every year.
- 7) You shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW (MH&TM) Rules 2008, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 8) You shall comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns to RO- Nagpur as per Rule 5(6) & 22(2) of Hazardous Waste (M, H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 9) An inspection book shall be opened and made available to the Board's officers during visit to the HCE.
- 10) You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
- 11) You shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.

M/s. Nelson Mother & Child Care Hospital, Nagpur


Principal

Page 8 of 9

Boja Nursing College

Bhandara - 441904

HOSPITAL DETAILS

Name of the Hospital: **Nelson Mother And Child Care Hospital, Nagpur**

Specialty: **Child Hospital**

Distance: 55 Kms.

No. of Beds	Paediatric Ward	PICU	NICU	Private Room	No. of OPD per year	No. of IPD per year
100	50	20	20	10	12315	16715


Principal
Pooja Nursing College
Bhandara - 441904



महाराष्ट्र MAHARASHTRA

2020

AY 781132

के. पी. भुरे } क्रमांक- 6222
 स्टॅम्प व्हेंडर भंडारा } किंमत- 900/-
 ला.नं. 4/१७-९८ } दिनांक- १२/०१/२०२१
 मुद्रांकाचा उपयोग }
 कोड नं. ४७०९००४ फरारनामा

डा. अमोल भुरे



A BUREAU



Memorandum of Understanding

This Understanding between -

- 1) Bhondekar Sanskrutik Krida Va Samajik Sikshan Sanstha's, Pooja Nursing College (Basic B.Sc. Nursing, Post Basic B.Sc. Nursing & M.Sc. Nursing), Bhandara and
- 2) Director, Kshirsagar Child Hospital, Bhandara

Pooja
 Principal
 Pooja Nursing College
 Bhandara - 441904


CANCELLED
NOTARIAL
CANCELLED
NOTARIAL
CANCELLED
NOTARIAL
CANCELLED
NOTARIAL
CANCELLED
NOTARIAL

That, Student from Basic B.Sc. Nursing, Post Basic B.Sc. Nursing & M.Sc. Nursing of Pooja Nursing College, Kisan Chowk, Bank Colony, Sahakar Nagar, Bhandara are allowed to do Practical Nursing Training in Kshirsagar Child Hospital, Sahakar Nagar, near old Joshi Nursing Home, Bhandara. As per the agreement between both parties nursing students will be trained under expert supervision from the ward In charges of Kshirsagar Child Hospital, Bhandara & Clinical Instructors from Pooja Nursing College, Bhandara.
Kshirsagar Child Hospital is 50 beded Hospital.


Date :- 14.01.2021
Place :- Bhandara



अध्यक्ष / उपाध्यक्ष / सचिव
भोंडेकर शिक्षण संस्था भंडारा
1) President,
Bhondekar Sanskrutik Krida Va
Samajik Sikshan Sanstha, Bhandara.




NOTARIAL REG.
ENTRY NO. 475
DATE: 14-1-2021


2) Director,
Kshirsagar Child Hospital, Bhandara.



ATTESTATION OF AFFIDAVIT
do solemnly affirm that this is my name and signature / Mark and that the contents of this affidavit are true.

Signature of Document This M.O.V is
Signature of Ramesh chande
Executed by Ramesh chande
Identified by Vinod khanshaw
Pravin chandrababu shankar


Rajesh R. Raut
NOTARY
Regd. No. 20287
Sant Tukadoji Ward,
District Office, Bhandara(M.S.)




Principal
Pooja Nursing College
Bhandara - 441906



महाराष्ट्र शासन
आरोग्य सेवा
जिल्हा शल्य चिकित्सक
जिल्हा रुग्णालय भंडारा

Certificate of Registration under Section 5 of the Bombay Nursing Homes Registration Act,
1949(नियम ५ अन्वये) (Under Rule 5)

जा.क्र./जिरुभं/बॉनरअं/नोप्र/११४०/२०२०
जिल्हा शल्यचिकित्सक कार्यालय, भंडारा
दिनांक :- 24 July 2020

This is to certify that Mr/Mrs Dr. Shashank Bhayyasaheb Kshirsagar , Director has been registered under the Bombay Nursing Homes registration Act, 1949 in respect of Kshirsagar Child Hospital situated at Plot No.55 Sahakar nagar, near old Joshi nursing home, Bhandara and has been authorized to carry on the said Nursing Home.

रजिस्ट्रेशन क्र. :- DHB/BNHA/006/17	प्रसूतिसाठी	कॉट्स ००
Registration No :- DHB/BNHA/006/17	Maternity	Cots 00
रजिस्ट्रेशन दि. :- ०१/०४/२०१७	इतर रुग्णांसाठी	कॉट्स ५०
Date of Registration:- 01/04/2017	Other Nursing Patients	Cots 50
Date of Renewal :- 01/04/2020		Total 50 Beds


ठिकाण :- भंडारा

Place :- Bhandara

Date of issue of Certificate 22 July 2020

This Certificate shall be valid up to 31 st March 2025




जिल्हा शल्य चिकित्सक
जिल्हा रुग्णालय भंडारा


Principal

Pooja Nursing College

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 07184-260629

Fax : 07184-260629

Email : srobhandara@mpcb.gov.in

Visit At : <http://mpcb.gov.in>



Sub-Regional Office,
Tatya Tope Ward, Near City Petrol Pump,
Mahal Road,
Bhandara-441 904

LETTER OF BIO-MEDICAL WASTE AUTHORISATION


[Authorisation for Generation, Segregation, Treatment, Disposal of Bio-Medical Wastes under Rule 7(4)]

- I. File number of authorization and date of issue
SRO-BHANDARA/BMW_AUTH/1902000201 Dated:- 14-01-2020..
- II. **Kshirsagar Child Hospital** is hereby granted an authorization for generation of biomedical waste on the premises situated at Plot No- 55, Near Old Joshi Nursing Home, Sahakar Nagar, Bhandara Distt. Bhandara.
- III. This authorisation shall be in force for a period up to 31-12-2025. An application shall be made by the occupier/operator for renewal 3 Months before expiry of earlier authorisation.
- IV. This authorisation is issued - subject to compliance of the conditions stated below and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act, 1986.
- V. No of Beds: 50.

Terms and Conditions of authorization

1. The authorized Person shall comply with the provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
2. The authorisation shall be produced for inspection at the request of an officer authorized by the prescribed authority.
3. i) The authorized person shall not rent, lend or sell the biomedical waste or facility.
ii) The authorized person can transfer the BMW generated at above premises to the "Transporter" or "Operator of Facility" authorized by MPCB under Bio-Medical Waste Management Rules, 2016 for collection, transportation, treatment and/or disposal of BMW generated.
4. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorisation.
5. It is the duty of the authorized person to take prior permission of the prescribed authority to close down the facility.
1. The authorization is granted for generation of Bio-Medical Waste (BMW) in waste categories and quantities listed here in below :


Principal
Pooja Nursing College
Bhandara - 441904



Sr. No.	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Colour coding	Treatment & Disposal
1	Yellow	(a) Human Anatomical Waste	5.0	Yellow coloured non-chlorinated plastic bags	Bio medical waste shall be sent to common BMW Treatment & Disposal Facility Authorised by MPCB i.e. M/s Superb Hygienic Disposal, Nagpur (CBMWTSDF)
		(b) Animal Waste	-		
		(c) Solid Waste	5.0		
		(d) Expired or Discarded Medicines :	2.0		
		(e) Chemical Solid Waste:	3.0		
		(f) Chemical Liquid Waste:	6.0	Separate collection system leading to effluent treatment system	
		(g) Discarded linen, Mattresses, Beddings Contaminated with blood or body fluid:	-	Yellow coloured non-chlorinated plastic bags or suitable packing material	
		(h) Microbiology, Biotechnology and other clinical laboratory waste:	-	Autoclave safe plastic bags or container	
2	Red	Contaminated Waste (Recyclable)		Red coloured non chlorinated plastic bags or container	
3	White (Translucent)	Waste Sharps including metals	10	Puncture proof leak proof, tamper proof container	
4	Blue	Glassware	-	Puncture proof & leak proof boxes or containers with blue coloured marking	
		Metal Body Implants	-	-	

2. The liquid/solid waste generated from the treatment activity (from laboratory and washing cleaning, housekeeping and disinfecting activities) shall be treated suitably by providing effluent treatment facility to conform the standards prescribed in Schedule V of said Rules and the Environment (Protection) Act, 1986.
8. (i) BMW shall be treated and disposed of in accordance with Schedule I; and in compliance with the standards prescribed in Schedule V of said Rules.
(ii) You shall setup requisite BMW treatment facilities like incinerator, autoclave / Microwave, shredder etc., at the disposal side in accordance with the BMW rules. You shall disposed of the duly treated BMW and incineration ash in secured land fill site at your own premises / at MSW secured land fill site of Municipal Council authorized by MPCB and duly earmarked for disposal of treated BMW / at common H.W. treatment & disposal facility setup as per the Hazardous Waste Management Rules, 2016 .
9. (i) BMW shall not be mixed with other wastes or reused, recycled or sold in any form.
(ii) BMW shall be segregated into containers / bags at the point of generation in accordance with Schedule-II prior to storage, treatment and disposal. The containers shall be labeled according to Schedule III.
(iii) If a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the Label prescribed in Schedule III, also carry information prescribed in Schedule IV and shall be transported by authorized Transporter only.

- (iv) Notwithstanding anything contained in the Motor Vehicles Act, 1988 or Rules there under, BSW shall be transported only in such vehicle as may be authorized for the purpose by the competent authority as specified by the Government.
- (v) No untreated BSW shall be kept stored beyond a period of 48 hours & till then it shall be stored in cold container.
- (vi) Necessary protective gear for the waste handlers shall be provided by the hospital Authority.
- (vii) You shall ensure proper collection of mercury spillage arising mainly due to breakage of thermometers pressure gauges (sphygmomanometers) other equipments used in health care facilities (HCF's) as well as its storage in accordance with the hazardous waste (Management & Handling) Rules (presently these Rules has to be read as Hazardous Waste (Management & Handling and Trans boundary Movement) Rules 2008) and returning it to the instrument manufacturers apart from necessary taking steps to ensure that the spilled mercury does not become a part of bio-medical or other solid wastes generated from the HCF's.
- (viii) Authorized person shall obtain prior permission from MPCB for generation & disposal, if Bio-Medical waste quantity of category specified exceed the limits authorized at condition No 6 above.

10. Standards for waste autoclaving:

The autoclave should be dedicated for the purposes of disinfecting and treating bio-medical waste.

- (i) When operating a gravity flow autoclave, medical waste shall be subjected to:
 - (A) A temperature of not less than 121 C° and pressure of 15 pounds per square inch (psi) for an autoclave residence time of not less than 60 minutes; or
 - (B) A temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 45 minutes; or
 - (C) a temperature of not less than 149 C° and a pressure of 52 psi for an autoclave residence time of not less than 30 minutes.
- (ii) When operating a vacuum autoclave, medical waste shall be subjected to a minimum of one pre-vacuum pulse to purge the autoclave of all air. The waste shall be subjected to the following:
 - (A) a temperature of not less than 121 C° and a pressure of 15 psi for an autoclave residence time of not less than 45 minutes; or
 - (B) a temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 30 minutes; or
- (iii) Medical waste shall not be considered properly treated unless the time, temperature and pressure indicators indicate that the required time, temperature and pressure were reached during the autoclave process. If for any reasons, time temperature or pressure indicates that the required temperature, pressure or residence time was not reached, the entire load of medical waste must be autoclaved again until the proper temperature, pressure and residence time were achieved.
- (iv) Recording of operational parameters. Each autoclave shall have graphic or computer recording devices which will automatically and continuously monitor and record dates, time of day, load identification number and operating parameters throughout the entire length of the autoclave cycle.
- (v) Validation test: Spore testing - The autoclave should completely and consistently kill the approved biological indicator at the maximum design capacity of each autoclave unit. Biological indicator for autoclave shall be *Bacillus stearothermophilus* spores using vials or spore strips, with at least 1×10^6 spores per milliliter. Under no circumstances will an autoclave have minimum operating parameters less than a residence time of 30 minutes, regardless of temperature and pressure; a temperature less than 121 C° or a pressure, less than 15 psi.
- (vi) Routine Test - A chemical indicator strip/tape that changes color when a certain temperature is reached can be used to verify that a specific temperature has been achieved. It may be necessary to use more than one strip over the waste package at different location to ensure that the inner content of the package has been adequately autoclaved.

11. Standards for deep burial:

1. A pit or trench should be dug about 2 meters deep. It should be half filled with waste, and then covered with lime within 50 cm of the surface, before filling the rest of the pit with soil.
2. It must be ensured that animals do not have any access to burial sites. Covers of galvanized iron/woven meshes may be used.
3. On each occasion, when wastes are added to the pit, a layer of 10 cm of soil shall be added to cover the wastes.
4. Burial must be performed under close and dedicated supervision.
5. The deep burial site should be relatively impermeable and no shallow well should be close to the site.
6. The pits should be distant from habitation, and sited so as to ensure that no contamination occurs of any surface water or ground water. The area should not be prone to flooding or erosion.
7. The location of the deep burial site will be authorized by the prescribed authority.
8. The institution shall maintain a record of all pits for deep burial.

12. Every 'Authorized Person' shall submit an Annual Report to the prescribed authority in Form-II by 31st January every year including information about the categories and quantities of BMW handled during the preceding year.

13. (i) Every 'Authorized Person' shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW in accordance with these Rules and any guidelines issued.

(ii) All records shall be subject to inspection and verification by the prescribed authority at any time.

14. When any accident occurs at any institution or facility or any other site where BMW is handled or during transportation of such waste, the authorized person shall report the accident in Form III to the prescribed authority forthwith.

15. The Occupier will obey all the lawful instructions issued by the Board Officers from time to time.

For and on behalf of the
Maharashtra Pollution Control Board

(A. N. Pingle)
Sub-Regional Officer,
M.P.C. Board, Bhandara.



To
The applicant,
Dr. Shashank B. Kulkarni
Kulkarni Hospital,
Plot No. 62 Near Old Joshi Nursing Home,
Sahakar Nagar, Bhandara Distt. Bhandara.

Authorization Fees Received:-

Sr. No.	Amount (Rs.)	TXN No./TXN Ref.	Date	Drawn on
1	5000.00	TXN1811000007	12-11-2018	-

Copy to: Regional Officer, MPCB, for information.


Principal

Pooja Nursing College
Bhandara - 441904

HOSPITAL DETAILS

Name of the Hospital: **Kshirsagar Child Hospital, BHANDARA**

Specialty: **Child Hospital**

Distance: 0.5 Kms.

No. of Beds	Paediatric Ward	PICU	NICU	Private Room	No. of OPD per year	No. of IPD per year
50	25	10	10	5	6752	8315


Principal
Dooja Nursing College
Bhandara - 441904



महाराष्ट्र MAHARASHTRA

2020

AY 781134

के. पी. भुरे

स्टॅम्प व्हेंडर भंडारा

ला.नं. 4/१७-९८

मुद्रांकाचा उपयोग

कोड नं. ४७०९००४

क्रमांक- 6228

किंमत- ५००/-

दिनांक-

१२/०१/२०२१

कशरिनामा

डा. अशोक भुरे

A. BHURER



Memorandum of Understanding

This Understanding between -

- 1) Bhonekar Sanskrutik Krida Va Samajik Sikshan Sanstha's, Pooja Nursing College (Basic B.Sc. Nursing, Post Basic B.Sc. Nursing & M.Sc. Nursing), Bhandara and _____
- 2) Director, Matoshree Laparoscopy & Maternity Hospital, Bhandara


Pooja Nursing College
Bhandara - 44190

That, Student from Basic B.Sc. Nursing, Post Basic B.Sc. Nursing & M.Sc. Nursing of Pooja Nursing College, Kisan Chowk, Bank Colony, Sahakar Nagar, Bhandara are allowed to do Practical Nursing Training in Matoshree Laparoscopy & Maternity Hospital, Z. P. Road, Rajiv Gandhi Squire, Bhandara. As per the agreement between both parties nursing students will be trained under expert supervision from the ward In charges of Matoshree Laparoscopy & Maternity Hospital, Bhandara & Clinical Instructors from Pooja Nursing College, Bhandara. Matoshree Laparoscopy & Maternity Hospital is 50 bedded Hospital.



Date :- 14.01.2021

Place :- Bhandara

अध्यक्ष / उपाध्यक्ष / सचिव

- 1) President, भोंडेकर शिक्षण संस्था भंडारा
Bhondekar Sanskrutik Krida Va
Samajik Sikshan Sanstha, Bhandara.

NOTARIAL REG.
ENTRY NO. 481
DATE: 14-1-2021

- 2) Director,
Matoshree Laparoscopy & Maternity
Hospital, Bhandara.

ATTESTATION OF AFFIDAVIT
do solemnly affirm that this is my name
and signature / Mark and that the
contents of this affidavit are true.

This M.O.U. is
Signature of Deponent Executed by Rajesh Chandra
Identified by Vinod Ushanshem
Wardhani, P.B. Bhandara

Rajesh Y. Raut
NOTARY
Regd. No. 20287
Sant Tukadoji Ward,
Near LIC Office, Bhandara(M.S.)



Principal
Pooja Nursing College
Bhandara - 441902

CANCELLED NOTARIAL
CANCELLED NOTARIAL
CANCELLED NOTARIAL
CANCELLED NOTARIAL
CANCELLED NOTARIAL



महाराष्ट्र शासन
आरोग्य सेवा
जिल्हा शल्य चिकित्सक
जिल्हारुग्णालय भंडारा

Certificate of Registration under Section 5 of the Bombay Nursing Homes Registration Act, 1949
(अध्याय ५ अन्वये) (Under Rule 5)

जा.क्र./जिरुभं/बॉनरअं/नोप्र/1448/2020
जिल्हा शल्यचिकीत्सक कार्यालय, भंडारा
दिनांक :- 7 APR 2020

This is to certify that Dr. Puneet Kaur Shende , Director has been registered under the Bombay Nursing Homes registration Act, 1949 in respect of Matoshree Laparoscopy & Maternity Hospital, situated at In front of Ganesh School, Z. P. Road, Rajiv Gandhi Square, Bhandara and has been authorized to carry on the said Nursing Home.

रजिस्ट्रेशन क्र: DHB/BNHA/020/17

प्रसुतिसाठी

कॉट्स ५०

Registration No:-DHB/BNHA/020/17

Maternity

Cots 50

रजिस्ट्रेशन दि: १५/०५/२०१७

इतररुग्णांसाठी

कॉट्स ००

Date of Registration :-15/05/2017

Other Nursing Patients

Cots 00

Date of Renewal :- 3/04/2020

Place :- भंडारा

Date of issue of Certificate 3 April 2020

This Certificate shall be valid up to 31st March 2025



(Signature)
जिल्हा शल्य चिकित्सक
जिल्हा रुग्णालय भंडारा
Civil Surgeon
General Hospital Bhandara

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 07184-260629

Fax : 07184-260629

Email : srobhandara@mpcb.gov.in

Visit At : <http://mpcb.gov.in>

Sub-Regional Office,
Tatya Tope Ward, Near City Petrol Pump,
Mahal Road,
Bhandara-441 904


LETTER OF BIO-MEDICAL WASTE AUTHORISATION [Authorisation for Generation, Segregation, Treatment, Disposal of Bio-Medical Wastes under Rule 7(4)]

- I. File number of authorization and date of issue
SRO-BHANDARA/BMW_AUTH/1807000021 Dated:- 17/09/2020
- II. Matoshree Laparoscopic & Maternity Hospital is hereby granted an authorization for generation of biomedical waste on the premises situated, Rajiv Gandhi Square, Z. P. Road, Bhandara, Tal & Dist- Bhandara.
- III. This authorisation shall be in force for a period up to 31/05/2025. An application shall be made by the occupier/operator for renewal 3 Months before expiry of earlier authorisation.
- IV. This authorisation is issued subject to compliance of the conditions stated below and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act, 1986.
- V. No of Beds: 50

Terms and Conditions of authorisation

1. The authorized Person shall comply with the provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
 2. The authorisation shall be produced for inspection at the request of an officer authorized by the prescribed authority.
 3. i) The authorized person shall not rent, lend or sell the biomedical waste or facility.
ii) The authorized person can transfer the BMW generated at above premises to the "Transporter" or "Operator of Facility" authorized by MPCB under Bio-Medical Waste Management Rules, 2016 for collection, transportation, treatment and/or disposal of BMW generated.
 4. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorisation.
 5. It is the duty of the authorized person to take prior permission of the prescribed authority to close down the facility.
1. The authorization is granted for generation of Bio-Medical Waste (BMW) in waste categories and quantities listed here in below :

SRO Bhandara/BMW/Doc



Principal
Pooja Nursing College
Bhandara - 441904



Sr. No.	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Colour coding	Treatment & Disposal
1	Yellow	(a) Human Anatomical Waste	2.0	Yellow coloured non-chlorinated plastic bags	Bio medical waste shall be sent to common BMW Treatment & Disposal Facility authorised by MRCB i.e. M/s Superb Hygienic Disposal, Nagpur (CBMWTSDF)
		(b) Animal Waste.	--		
		(c) Solid Waste	3.0		
		(d) Expired or Discarded Medicines :	--		
		(e) Chemical Solid Waste:	--	Separate collection system leading to effluent treatment system	
		(f) Chemical Liquid Waste:	--		
		(g) Discarded linen, Mattresses, Beddings Contaminated with blood or body fluid:	1.0	Yellow coloured non-chlorinated plastic bags or suitable packing material	
		(h) Microbiology, Biotechnology and other clinical laboratory waste:		Autoclave safe plastic bags or container	
2	Red	Contaminated Waste (Recyclable)	--	Red coloured non chlorinated plastic bags or container	
3	White (Translucent)	Waste Sharps including metals	1.0	Puncture proof leak proof, tamper proof container	
4	Blue	Glassware	--	Puncture proof & leak proof boxes or contains with blue coloured marking	
		Metal Body Implants	--	--	

2. The liquid/solid waste generated from the treatment activity (from laboratory and washing, cleaning, housekeeping and disinfecting activities) shall be treated suitably by providing effluent treatment facility to conform the standards prescribed in Schedule V of said Rules and the Environment (Protection) Act, 1986.
8. (i) BMW shall be treated and disposed of in accordance with Schedule I; and in compliance with the standards prescribed in Schedule V of said Rules.

SRO Bhandara/BMW/Doc


Principal
Pooja Nursing College
Bhandara - 441904



(ii) You shall setup requisite BMW treatment facilities like incinerator, autoclave / Microwave, shredder etc., at the disposal side in accordance with the BMW rules. You shall disposed of the duly treated BMW and incineration ash in secured land fill site at your own premises / at MSW secured land fill site of Municipal Council authorized by MPCB and duly earmarked for disposal of treated BMW / at common H.W. treatment & disposal facility setup as per the Hazardous Waste Management Rules, 2016 .

9. (i) BMW shall not be mixed with other wastes or reused, recycled or sold in any form.
(ii) BMW shall be segregated into containers / bags at the point of generation in accordance with Schedule-II prior to storage, treatment and disposal. The containers shall be labeled according to Schedule III.
(iii) If a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the Label prescribed in Schedule III, also carry information prescribed in Schedule IV and shall be transported by authorized Transporter only.
(iv) Notwithstanding anything contained in the Motor Vehicles Act, 1988 or Rules there under, BMW shall be transported only in such vehicle as may be authorized for the purpose by the competent authority as specified by the Government.
(v) No untreated BMW shall be kept stored beyond a period of 48 hours & till then it shall be stored in cold container.
(vi) Necessary protective gear for the waste handles shall be provided by the hospital Authority.
(vii) You shall ensure proper collection of mercury spillage arising mainly due to breakage of thermometers pressure gauges (Sphygmomanometers) other equipments used in health care facilities (HCF's) as well as its storage in accordance with the hazardous waste (Management & Handling) Rules (presently these Rules has to be read as 'Hazardous Waste (Management & Handling and Trans boundary Movement) Rules 2008) and returning it to the instrument manufacturers apart from necessary taking steps to ensure that the spilled mercury does not become a part of bio-medical or other solid wastes generated from the HCF's.
(viii) Authorized person shall obtain prior permission from MPCB for generation & disposal, if Bio-Medical waste quantity of category specified exceed the limits authorized at condition No 6 above.

10. **Standards for waste autoclaving:**

The autoclave should be dedicated for the purposes of disinfecting and treating bio-medical waste,

(I) When operating a gravity flow autoclave, medical waste shall be subjected to:

- (i) A temperature of not less than 121 C° and pressure of 15 pounds per Square inch (psi) for an autoclave residence time of not less than 60 minutes; or
(ii) A temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 45 minutes;
or
(iii) a temperature of not less than 149 C° and a pressure of 52 psi for an autoclave residence time of not less than 30 minutes.

(II) When operating a vacuum autoclave, medical waste shall be subjected to a minimum of one pre-vacuum pulse to purge the autoclave of all air. The waste shall be subjected to the following.



(i) a temperature of not less than 121 C° and a pressure of 15 psi for an autoclave residence time of not less than 45 minutes; or

(ii) a temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 30 minutes; or

(III) Medical waste shall not be considered properly treated unless the time, temperature and pressure indicators indicate that the required time, temperature and pressure were reached during the autoclave process. If for any reasons, time temperature or pressure indicates that the required temperature, pressure or residence time was not reached, the entire load of medical waste must be autoclaved again until the proper temperature, pressure and residence time were achieved.

(IV) *Recording of operational parameters*.- Each autoclave shall have graphic or computer recording devices which will automatically and continuously monitor and record dates, time of day, load identification number and operating parameters throughout the entire length of the autoclave cycle.

(V) *Validation test: Spore testing*. - The autoclave should completely and consistently kill the approved biological indicator at the maximum design capacity of each autoclave unit. Biological indicator for autoclave shall be *Bacillus stearothermophilus* spores using vials or spore strips, with at least 1×10^6 spores per milliliter. Under no circumstances will an autoclave have minimum operating parameters less than a residence time of 30 minutes, regardless of temperature and pressure, a temperature less than 121 C° or a pressure, less than 15 psi.

(VI) *Routine Test*.—A chemical indicator strip that changes color when a certain temperature is reached can be used to verify that a specific temperature has been achieved. It may be necessary to use more than one strip over the waste package at different location to ensure that the inner content of the package has been adequately autoclaved.

11. **Standards for deep burial:**

1. A pit or trench should be dug about 2 meters deep. It should be half filled with waste, and then covered with lime within 50 cm of the surface, before filling the rest of the pit with soil.
2. It must be ensured that animals do not have any access to burial sites. Covers of galvanized iron wire meshes may be used.
3. On each occasion, when wastes are added to the pit, a layer of 10 cm of soil shall be added to cover the wastes.
4. Burial must be performed under close and dedicated supervision.
5. The deep burial site should be relatively impermeable and no shallow well should be close to the site.
6. The pits should be distant from habitation, and sited so as to ensure that no contamination occurs of any surface water or ground water. The area should not be prone to flooding or erosion.
The location of the deep burial site will be authorized by the prescribed authority.
8. The institution shall maintain a record of all pits for deep burial.

12. Every 'Authorized Person' shall submit an Annual Report to the prescribed authority in Form-II by 31st January every year including information about the categories and quantities of BMW handled during the preceding year.



13. (i) Every 'Authorized Person' shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW in accordance with these Rules and any guidelines issued.
- (ii) All records shall be subject to inspection and verification by the prescribed authority at any time.
14. When any accident occurs at any institution or facility or any other site where BMW is handled or during transportation of such waste, the authorized person shall report the accident in Form III to the prescribed authority forthwith.
15. The Occupier will obey all the lawful instructions issued by the Board Officers from time to time.

For and on behalf of the
Maharashtra Pollution Control Board

(A. N. Katole)
Sub-Regional Officer,
M.P.C. Board, Bhandara.

To
The applicant,
Dr. Puneet A. Shende
Matoshree Laparoscopic & Maternity Hospital
Rajiv Gandhi Square, Z. P. Road, Bhandara
Tal & Dist- Bhandara.



Authorization Fee Received:-

Sr. No.	Amount (Rs.)	DD No.	Date	Drawn by
-	-	-	-	-

Copy to: Regional Officer, MPCB, for information.


Principal
Dooja Nursing College
Bhandara - 441904

HOSPITAL DETAILS

Name of the Hospital: **Matoshree Laproscopy & Maternity Hospital, BHANDARA**

Specialty: **Maternity Hospital**

Distance: 05 Kms.

No. of Beds	Gynecology	ANC Ward	PNC Ward	NICU	Private Room	No. of OPD per year	No. of IPD per year	No. of Deliveries / Year
50	10	10	20	5	5	6652	8215	380


Principal
Pooja Nursing College
Bhandara - 441907



महाराष्ट्र MAHARASHTRA


पूजा नामिका फौज भंडारा
2020

AY 781136

के. पी. भुरे } क्रमांक- 6226
 स्वयं केंद्र भंडारा } किंमत- 500/-
 लॉ. 15/10-12 } दिनांक- 12/01/2021
 मुद्राकाचा उपयोग }
 कोड नं. 8009008 फारनामा

मा. अमोल भुरे

A. B. B. B.



Memorandum of Understanding

This Understanding between -

- 1) Bhondekar Sanskrutik Krida Va Samajik Sikshan Sanstha's, Pooja Nursing College (Basic B.Sc. Nursing, Post Basic B.Sc. Nursing & M.Sc. Nursing), Bhandara and
- 2) Director, Sukhad Nursing Home, Bhandara

[Signature]
 Pooja Nursing College
 Bhandara - 44190

CANCELLED
NOTARIAL
CANCELLED
NOTARIAL
CANCELLED
NOTARIAL
CANCELLED
NOTARIAL
CANCELLED
NOTARIAL

That, Student from Basic B.Sc. Nursing, Post Basic B.Sc. Nursing & M.Sc. Nursing of Pooja Nursing College, Kisan Chowk, Bank Colony, Sahakar Nagar, Bhandara are allowed to do Practical Nursing Training in Sukhad Nursing Home, Jamnalal Bajaj Ward, near Muslim Library, Bhandara. As per the agreement between both parties nursing students will be trained under expert supervision from the ward In charges of Sukhad Nursing Home, Bhandara & Clinical Instructors from Pooja Nursing College, Bhandara.
Sukhad Nursing Home is 50 beded Hospital.

Date :- 14-01-2021

Place :- Bhandara



अध्यक्ष / उपाध्यक्ष / सचिव
1) President, भोंडेकर शिक्षण संस्था भंडारा
Bhondekar Sanskrutik Krida Va
Samajik Sikshan Sanstha, Bhandara.

NOTARIAL REG.
ENTRY NO. 479
DATE: 14-1-2021

2) Director,
Sukhad Nursing Home, Bhandara.

ATTESTATION OF AFFIDAVIT
I solemnly affirm that this is my name
in signature mark and that the
contents of this affidavit are true.

Signature of Deponent _____ Signature of Notary _____

This M.S. V _____ is

Executed by Ramesh Chaudhary

Identified by Vinod Ghansham
wardhane, P.H. Bhandara



Rajesh Y. Raut
NOTARY
Regd. No. 20287
Sant Tukadoji Ward,
Near LIC Office, Bhandara (M.S.)



Principal
Pooja Nursing College
Bhandara - 44190



महाराष्ट्र शासन
आरोग्य सेवा
जिल्हा शल्य चिकित्सक
जिल्हा रुग्णालय भंडारा

Certificate of Registration under Section 5 of the Bombay Nursing Homes Registration Act, 1949
(नियम ५ अन्वये) (Under Rule 5)

जा.क्र./जिरुभं/बॉनरअ/नोप्र/4730/२०२०
जिल्हा शल्यचिकीत्सक कार्यालय, भंडारा
दिनांक :- **E 1 APR 2020**

This is to certify that Dr. Subhash Pandurang Kaore , Director has been registered under the Bombay Nursing Homes registration Act, 1949 in respect of Sukhad Nursing Home, Situated at 105 Jamnalal Bajaj ward,near muslim library , Bhandara and has been authorized to carry on the said Nurshing Home .

रजिस्ट्रेशन क्र. :- DHB/BNHA/031/14	प्रसुतिसाठी	कॉटस् ५०
Registration No :- DHB/BNHA/031/14	Maternity	Cots 50
रजिस्ट्रेशन दि.:- १३/०८/२०१४	इतर रुग्णांसाठी	कॉटस् ००
Date of Registration:- 13/08/2014	Other Nursing Patients	Cots 00
Date of Renewal:- 01/04/2020		Total 50 Beds
ठिकाण :- भंडारा		
Place :- Bhandara		
Date of issue of Certificate 01 April 2020		
This Certificate shall be valid up to 31 st march 2025		



जिल्हा शल्य चिकित्सक
जिल्हा रुग्णालय भंडारा
(Signature)
Civil Surgeon
General Hospital Bhandara

(Signature)
Principal
Pooja Nursing College
Bhandara - 441904

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 07184-260629

Fax : 07184-260629

Email : srobhandara@mpcb.gov.in

Visit At : <http://mpcb.gov.in>



Sub-Regional Office,
Taty Tope Ward, Near City Petrol Pump,
Mahal Road,
Bhandara-441 904


LETTER OF BIO-MEDICAL WASTE AUTHORISATION

[Authorisation for Generation, Segregation, Treatment, Disposal of Bio-Medical Wastes under Rule 7(4)]

- I. File number of authorization and date of issue
SRO-BHANDARA/BMW_AUTH/ 1908000012 Dated:- 01-08-2019
- II. **SUKHAD NURSING HOME** is hereby granted an authorization for generation of biomedical waste on the premises situated at **Jamnala Bajaj Ward Bhandara, Dist-Bhandara.**
- III. This authorisation shall be in force for a period up to **31-08-2024**. An application shall be made by the occupier/operator for renewal **3 Months** before expiry of earlier authorisation.
- IV. This authorisation is issued subject to compliance of the conditions stated below and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act, 1986.
- V. No of Beds: 50

Terms and Conditions of authorization

1. The authorized Person shall comply with the provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
2. The authorisation shall be produced for inspection at the request of an officer authorized by the prescribed authority.
3. i) The authorized person shall not rent, lend or sell the biomedical waste or facility.
ii) The authorized person can transfer the BMW generated at above premises to the "Transporter or Operator of Facility" authorized by MPCB under Bio-Medical Waste Management Rules, 2016 for collection, transportation, treatment and/or disposal of BMW generated.
4. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorisation.
5. It is the duty of the authorized person to take prior permission of the prescribed authority to close down the facility.
1. The authorization is granted for generation of Bio-Medical Waste (BMW) in waste categories and quantities listed here in below :


Principal
Pooja Nursing College
Bhandara - 441904



Sr. No.	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Colour coding	Treatment & Disposal
1	Yellow	(a) Human Anatomical Waste	6.0	Yellow coloured non-chlorinated plastic bags	Bio medical waste shall be sent to common BMW Treatment & Disposal Facility Authorised by MPCB i.e. M/s Superb Hygienic Disposal, Nagpur (CBMWTSDF)
		(b) Animal Waste.	--		
		(c) Solid Waste	4.0		
		(d) Expired or Discarded Medicines :	5.0		
		(e) Chemical Solid Waste:	--	Separate collection system leading to effluent treatment system	
		(f) Chemical Liquid Waste:	--		
		(g) Discarded linen, Mattresses, Beddings Contaminated with blood or body fluid:	--	Yellow coloured non-chlorinated plastic bags or suitable packing material	
		(h) Microbiology, Biotechnology and other clinical laboratory waste:	--	Autoclave safe plastic bags or container	
2	Red	Contaminated Waste (Recyclable)	--	Red coloured non chlorinated plastic bags or container	
3	White (Translucent)	Waste Sharps including metals	--	Puncture proof leak proof, tamper proof container	
4	Blue	Glassware	--	Puncture proof & leak proof boxes or contains with blue coloured marking	
		Metal Body implants	--	--	

2. The liquid/solid waste generated from the treatment activity (from laboratory and washing, cleaning, housekeeping and disinfecting activities) shall be treated suitably by providing effluent treatment facility to conform the standards prescribed in Schedule V of said Rules and the Environment (Protection) Act, 1986.
8. (i) BMW shall be treated and disposed of in accordance with Schedule I; and in compliance with the standards prescribed in Schedule V of said Rules.
- (ii) You shall setup requisite BMW treatment facilities like incinerator, autoclave / Microwave, shredder etc., at the disposal side in accordance with the BMW rules. You shall disposed of the duly treated BMW and incineration ash in secured land fill site at your own premises / at MSW secured land fill site of Municipal Council authorized by MPCB and duly earmarked for disposal of treated BMW / at common H.W. treatment & disposal facility setup as per the Hazardous Waste Management Rules, 2016 .
9. (i) BMW shall not be mixed with other wastes or reused, recycled or sold in any form.
- (ii) BMW shall be segregated into containers / bags at the point of generation in accordance with Schedule-II prior to storage, treatment and disposal. The containers shall be labeled according to Schedule III.
- (iii) If a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the Label prescribed in Schedule III, also carry information prescribed in Schedule IV and shall be transported by authorized Transporter only.

[Signature]
Principal

- (iv) Notwithstanding anything contained in the Motor Vehicles Act, 1988 or Rules there under, BMW shall be transported only in such vehicle as may be authorized for the purpose by the competent authority as specified by the Government.
- (v) No untreated BMW shall be kept stored beyond a period of 48 hours & till then it shall be stored in cold container.
- (vi) Necessary protective gear for the waste handles shall be provided by the hospital Authority.
- (vii) You shall ensure proper collection of mercury spillage arising mainly due to breakage of thermometers pressure gauges (Sphygmomanometers) other equipments used in health care facilities (HCF's) as well as its storage in accordance with the hazardous waste (Management & Handling) Rules (presently these Rules has to be read as 'Hazardous Waste (Management & Handling and Trans boundary Movement) Rules 2008) and returning it to the instrument manufacturers apart from necessary taking steps to ensure that the spilled mercury does not become a part of bio-medical or other solid wastes generated from the HCF's.
- (viii) Authorized person shall obtain prior permission from MPCB for generation & disposal, if Bio-Medical waste quantity of category specified exceed the limits authorized at condition No 6 above.

10. **Standards for waste autoclaving:**

The autoclave should be dedicated for the purposes of disinfecting and treating bio- medical waste,

- (I) When operating a gravity flow autoclave, medical waste shall be Subjected to:
 - (i) A temperature of not less than 121 C° and pressure of 15 pounds per Square inch (psi) for an autoclave residence time of not less than 60 minutes; or
 - (ii) A temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 45 minutes; or
 - (iii) a temperature of not less than 149 C° and a pressure of 52 psi for an autoclave residence time of not less than 30 minutes.
- (II) When operating a vacuum autoclave, medical waste shall be subjected to a minimum of one pre-vacuum pulse to purge the autoclave of all air. The waste shall be subjected to the following.
 - (i) a temperature of not less than 121 C° and a pressure of 15 psi for an autoclave residence time of not less than 45 minutes; or
 - (ii) a temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 30 minutes; or
- (III) Medical waste shall not be considered properly treated unless the time, temperature and pressure indicators indicate that the required time, temperature and pressure were reached during the autoclave process. If for any reasons, time temperature or pressure indicates that the required temperature, pressure or residence time was not reached, the entire load of medical waste must be autoclaved again until the proper temperature, pressure and residence time were achieved.
- (IV) *Recording of operational parameters.* - Each autoclave shall have graphic or computer recording devices which will automatically and continuously monitor and record dates, time of day, load identification number and operating parameters throughout the entire length of the autoclave cycle.
- (V) *Validation test: Spore testing.* - The autoclave should completely and consistently kill the approved biological indicator at the maximum design capacity of each autoclave unit. Biological indicator for autoclave shall be Bacillus stearothermophilus spores using vials or spore strips, with at least 1×10^4 spores per milliliter. Under no circumstances will an autoclave have minimum operating parameters less than a residence time of 30 minutes, regardless of temperature and pressure, a temperature less than 121 C° or a pressure, less than 15 psi.
- (VI) *Routine Test.*—A chemical indicator strip/tape that changes color when a certain temperature is reached can be used to verify that a specific temperature has been achieved. It may be necessary to use more than one strip over the waste package at different location to ensure that the inner content of the package has been adequately autoclaved.


Principal

11. **Standards for deep burial:**

1. A pit or trench should be dug about 2 meters deep. It should be half filled with waste, and then covered with lime within 50 cm of the surface, before filling the rest of the pit with soil.
 2. It must be ensured that animals do not have any access to burial sites. Covers of galvanized iron/wore meshes may be used.
 3. On each occasion, when wastes are added to the pit, a layer of 10 cm of soil shall be added to cover the wastes.
 4. Burial must be performed under close and dedicated supervision.
 5. The deep burial site should be relatively impermeable and no shallow well should be close to the site.
 6. The pits should be distant from habitation, and sited so as to ensure that no contamination occurs of any surface water or ground water. The area should not be prone to flooding or erosion.
 7. The location of the deep burial site will be authorized by the prescribed authority.
 8. The institution shall maintain a record of all pits for deep burial.
12. Every 'Authorized Person' shall submit an Annual Report to the prescribed authority in Form-II by 31st January every year including information about the categories and quantities of BMW handled during the preceding year.
13. (i) Every 'Authorized Person' shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW in accordance with these Rules and any guidelines issued.
(ii) All records shall be subject to inspection and verification by the prescribed authority at any time.
14. When any accident occurs at any institution or facility or any other site where BMW is handled or during transportation of such waste, the authorized person shall report the accident in Form III to the prescribed authority forthwith.
15. The Occupier will obey all the lawful instructions issued by the Board Officers from time to time.

For and on behalf of the
Maharashtra Pollution Control Board

(A. N. Katole)
Sub-Regional Officer,
M.P.C. Board, Bhandara.

To
The applicant,
DR SUBHASH PANDURANG KAORE,
SUKHAD NURSING HOME,
Jamnalal Bajaj Ward Bhandara, Dist-Bhandara

Authorization Fees Received:-

Sr. No.	Amount (Rs.)	TXN No./TXN Ref.	Date	Drawn on
1	5000.00	TXN1906000191	03-06-2019	Online payment

Copy to: Regional Officer, MPCB, for information.


Principal
Pooja Nursing College
Bhandara - 441906

HOSPITAL DETAILS

Name of the Hospital: **Sukhad Nursing Home, BHANDARA**

Specialty: **Maternity Hospital**

Distance: 05 Kms.

No. of Beds	Gynecology	ANC Ward	PNC Ward	NICU	Private Room	No. of OPD per year	No. of IPD per year	No. of Deliveries / Year
50	10	15	15	5	5	6752	8315	386


Pooja Nursing College
Bhandara - 441907



महाराष्ट्र MAHARASHTRA

पूजा लाम्बा कॉलेज भंडारा

2020

AY 781135

के. पी. भुरे } क्रमांक- 6224
 स्टॅम्प व्हेंडर भंडारा } किंमत- 500/-
 ला.नं. 4/९७-९८ } दिनांक- १२/०१/२०२१
 मुद्राकाचा उपयोग
 ४७०९००४ फरासनामा

डा. अमोल भुरे



A. B. B. B.

**Memorandum of Understanding**

This Understanding between -

- 1) Bhandekar Sanskrutik Krida Va Samajik Sikshan Sanstha's, Pooja Nursing College (Basic B.Sc. Nursing, Post Basic B.Sc. Nursing & M.Sc. Nursing), Bhandara and
- 2) Director, Sawali Nursing Home, Bhandara

[Signature]
 Principal
 Pooja Nursing College
 Bhandara - 441904

CANCELLED CANCELLED CANCELLED CANCELLED CANCELLED

NOTARIAL

NOTARIAL

NOTARIAL

NOTARIAL

NOTARIAL

That, Student from Basic B.Sc. Nursing, Post Basic B.Sc. Nursing & M.Sc. Nursing of Pooja Nursing College, Kisan Chowk, Bank Colony, Sahakar Nagar, Bhandara are allowed to do Practical Nursing Training in Sawali Nursing Home, Takiya Ward, Near Sai Temple, Bhandara. As per the agreement between both parties nursing students will be trained under expert supervision from the ward In charges of Sawali Nursing Home Bhandara & Clinical Instructors from Pooja Nursing College, Bhandara. Sawali Nursing Home is 50 bedded Hospital.

Date :- 14.01.2021
Place :- Bhandara



[Signature]
अध्यक्ष / उपाध्यक्ष / सचिव
1) President, भोंडेकर शिक्षण संस्था भंडारा
Bhondekar Sanskrutik Krida Va
Samajik Sikshan Sanstha, Bhandara.

NOTARIAL REG.
ENTRY NO. 480
DATE: 14-1-2021

[Signature]
2) Director,
Sawali Nursing Home, Bhandara.



ATTESTATION OF AFFIDAVIT
I solemnly affirm that this is my name
and signature / Mark and that the
contents of this affidavit are true.

Signature of Deponent

This M.O.U is
Signature of Notary

Executed by Ramesh Ghade
Identified by Vinod Ghansham
Wardhani, D/O. Bhandara

[Signature]
Rajesh Y. Raut
NOTARY
Regd. No. 20287
Sant Tukadoji Ward,
Near LIC Office, Bhandara (M.S.)



[Signature]
Principal
Pooja Nursing College
Bhandara - 44190



महाराष्ट्र शासन
आरोग्य सेवा
जिल्हा शल्य चिकित्सक
जिल्हा रुग्णालय भंडारा

Certificate of Registration under Section 5 of the Bombay Nursing Homes Registration Act, 1949
(नियम ५ अन्वये) (Under Rule 5)

जा.क्र./जिरुभं/बॉनरअं/नोप्र/4737/2020
जिल्हा शल्यचिकीत्सक कार्यालय, भंडारा
दिनांक :- 1/04/2020

This is to certify that Mr/Mrs Dr. Ratnakar Motiramji Bandebuche, Director has been registered under the Bombay Nursing Homes registration Act, 1949 in respect of Sawali Nursing Home Situated at Takiya ward, Near Sai Temple, Bhandara and has been authorized to carry on the said Nursing Home & Maternity Home .

रजिस्ट्रेशन क्र. :- DHB/BNHA/025/14	प्रसुतिसाठी	कॉट्स ५०
Registration No :- DHB/BNHA/025/14	Maternity	Cots 50
रजिस्ट्रेशन दि. :- १५/०५/२०१४	इतर रुग्णांसाठी	कॉट्स ००
Date of Registration :- 15/05/2014	Other Nursing Patients	Cots 00
Date of Renewal :- 01/04/2020		Total 50 Beds


ठिकाण :- भंडारा

Place :- Bhandara

Date of issue of Certificate 01 April 2020

This Certificate shall be valid up to 31st March 2025




जिल्हा शल्य चिकित्सक
जिल्हा रुग्णालय भंडारा

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 07184-260629

Fax : 07184-260629

Email : srobhandara@mpcb.gov.in

Visit At : <http://mpcb.gov.in>



Sub-Regional Office,
Tatya Tope Ward, Near City Petrol Pump,
Mahal Road,
Bhandara-441 904

LETTER OF BIO-MEDICAL WASTE AUTHORISATION

[Authorisation for Generation, Segregation, Treatment, Disposal of Bio-Medical Wastes under Rule 7(4)]


- I. File number of authorization and date of issue
SRO-BHANDARA/BMW_AUTH/1705000668 Dated:- 25/05/2018.
- II. **Sawli Nursing Home & Counselling Centre** is hereby granted an authorization for generation of biomedical waste on the premises situated, **Takiya Ward, Near Sai Temple Bhandara Tal & Dist- Bhandara**
- III. This authorisation shall be in force for a period up to **30/04/2025**. An application shall be made by the occupier/operator for renewal **3 Months** before expiry of earlier authorisation.
- IV. This authorisation is issued subject to compliance of the conditions stated below and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act, 1986.
- V. No of Beds: **50**.

Terms and Conditions of authorisation

1. The authorized Person shall comply with the provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
2. The authorisation shall be produced for inspection at the request of an officer authorized by the prescribed authority.
3. i) The authorized person shall not rent, lend or sell the biomedical waste or facility.
ii) The authorized person can transfer the BMW generated at above premises to the "transporter" or "Operator of Facility" authorized by MPCB under Bio-Medical Waste (Management and Handling) Rules, 1998 for collection, transportation, treatment and/or disposal of BMW generated.
4. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorisation.
5. It is the duty of the authorized person to take prior permission of the prescribed authority to close down the facility.
6. The authorization is granted for generation of Bio-Medical Waste (BMW) in waste categories and quantities listed here in below :

[Signature]
Principal

Pooja Nursing College
Bhandara - 441907



Sr. No.	Category	Quantity	UOM	Treatment & Disposal
1	Cat - 1 Human Anatomical Waste	1.0	Kg/M	Incineration
2	Cat-2 Animal Waste.	--	--	Incineration
3	Cat-3 Microbiology & Biotechnology Waste	1.0	Kg/M	Incineration
4	Cat-4 Waste Sharps	5.0	Kg/M	Disinfection (Chemical treatment) & mutilation/ shredding
5	Cat-5 Discarded Medicines and Cytotoxic drugs.	1.0	Kg/M	Incineration
6	Cat-6 Soiled Waste.	15.0	Kg/M	Incineration
7	Cat-7 Solid Waste	20.0	Kg/M	Disinfection (Chemical treatment) & mutilation/ shredding
8	Cat-8 Liquid Waste	--	--	--
9	Cat-9 Incineration Ash.	--	--	--
10	Cat-10 Chemical Waste.	--	--	--

The above mentioned bio medical waste shall be sent to common BMW Treatment & Disposal Facility Authorised by MPCB i.e. M/s Superb Hygienic Disposal, Nagpur (CBMWTSDP)

7. The liquid/solid waste generated from the treatment activity (from laboratory and washing, cleaning, housekeeping and disinfecting activities) shall be treated suitably by providing effluent treatment facility to conform the standards prescribed in Schedule V of said Rules and the Environment (Protection) Act, 1986.
8. (i) BMW shall be treated and disposed of in accordance with Schedule I; and in compliance with the standards prescribed in Schedule V of said Rules.
(ii) You shall setup requisite BMW treatment facilities like incinerator, autoclave / Microwave, shredder etc., at the disposal site in accordance with the BMW rules. You shall disposed of the duly treated BMW and incineration ash in secured land fill site at your own premises / at MSW secured land fill site of Municipal Council authorized by MPCB and duly earmarked for disposal of treated BMW / at common H.W. treatment & disposal facility setup as per the Hazardous Waste (M & H) Rules, 1989 as amended and authorized by MPCB.
9. (i) BMW shall not be mixed with other wastes or reused, recycled or sold in any form.
(ii) BMW shall be segregated into containers / bags at the point of generation in accordance with Schedule-II prior to storage, treatment and disposal. The containers shall be labeled according to Schedule III.
(iii) If a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the Label prescribed in Schedule III, also carry information prescribed in Schedule IV and shall be transported by authorized Transporter only.
(iv) Notwithstanding anything contained in the Motor Vehicles Act, 1988 or Rules there under, BMW shall be transported only in such vehicle as may be authorized for the purpose by the competent authority as specified by the Government.
(v) No untreated BMW shall be kept stored beyond a period of 48 hours & till then it shall be stored in cold container.
(vi) Necessary protective gear for the waste handles shall be provided by the hospital Authority.
(vii) You shall ensure proper collection of mercury spillage arising mainly due to breakage of thermometers pressure gauges (Sphygmomanometers) other equipments used in health care facilities (HCF's) as well as its storage in accordance with the hazardous waste (Management & Handling) Rules (presently these Rules has to be read as 'Hazardous Waste (Management & Handling and Trans boundary Movement) Rules 2008) and

[Handwritten Signature]

- returning it to the instrument manufacturers apart from necessary taking steps to ensure that the spilled mercury does not become a part of bio-medical or other solid wastes generated from the HCF's.
- (viii) Authorized person shall obtain prior permission from MPCB for generation & disposal, if Bio-Medical waste quantity of category specified exceed the limits authorized at condition No 6 above.
10. **Standards for waste autoclaving:**
The autoclave should be dedicated for the purposes of disinfecting and treating bio-medical waste.
- (I) When operating a gravity flow autoclave, medical waste shall be Subjected to:
- (i) A temperature of not less than 121 C° and pressure of 15 pounds per Square inch (psi) for an autoclave residence time of not less than 60 minutes; or
 - (ii) A temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 45 minutes; or
 - (iii) a temperature of not less than 149 C° and a pressure of 52 psi for an autoclave residence time of not less than 30 minutes.
- (II) When operating a vacuum autoclave, medical waste shall be subjected to a minimum of one pre-vacuum pulse to purge the autoclave of all air. The waste shall be subjected to the following.
- (i) a temperature of not less than 121 C° and a pressure of 15 psi for an autoclave residence time of not less than 45 minutes; or
 - (ii) a temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 30 minutes; or
- (III) Medical waste shall not be considered properly treated unless the time, temperature and pressure indicators indicate that the required time, temperature and pressure were reached during the autoclave process. If for any reasons, time temperature or pressure indicates that the required temperature, pressure or residence time was not reached, the entire load of medical waste must be autoclaved again until the proper temperature, pressure and residence time were achieved.
- (IV) **Recording of operational parameters.**- Each autoclave shall have graphic or computer recording devices which will automatically and continuously monitor and record dates, time of day, load identification number and operating parameters throughout the entire length of the autoclave cycle.
- (V) **Validation test: Spore testing.** - The autoclave should completely and consistently Kill the approved biological indicator at the maximum design capacity of each autoclave unit. Biological indicator for autoclave shall be Bacillus stearothermophilus spores using vials or spore strips, with at least 1×10^4 spores per milliliter. Under no circumstances will an autoclave have minimum operating parameters less than a residence time of 30 minutes, regardless of temperature and pressure, a temperature less than 121 C° or a pressure, less than 15 psi.
- (VI) **Routine Test.**-A chemical indicator strip/tape that changes color when a certain temperature is reached can be used to verify that a specific temperature has been achieved. It may be necessary to use more than one strip over the waste package at different location to ensure that the inner content of the package has been adequately autoclaved.



11. Standards for deep burial:

1. A pit or trench should be dug about 2 meters deep. It should be half filled with waste, and then covered with lime within 50 cm of the surface, before filling the rest of the pit with soil.
2. It must be ensured that animals do not have any access to burial sites. Covers of galvanized iron/wore meshes may be used.
3. On each occasion, when wastes are added to the pit, a layer of 10 cm of soil shall be added to cover the wastes.
4. Burial must be performed under close and dedicated supervision.
5. The deep burial site should be relatively impermeable and no shallow well should be close to the site.
6. The pits should be distant from habitation, and sited so as to ensure that no contamination occurs of any surface water or ground water. The area should not be prone to flooding or erosion.
7. The location of the deep burial site will be authorized by the prescribed authority.
8. The institution shall maintain a record of all pits for deep burial.
12. Every 'Authorized Person' shall submit an Annual Report to the prescribed authority in Form-II by 31st January every year including information about the categories and quantities of BMW handled during the preceding year.
13. (i) Every 'Authorized Person' shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW in accordance with these Rules and any guidelines issued.
(ii) All records shall be subject to inspection and verification by the prescribed authority at any time.
14. When any accident occurs at any institution or facility or any other site where BMW is handled or during transportation of such waste, the authorized person shall report the accident in Form III to the prescribed authority forthwith.
15. The Occupier will obey all the lawful instructions issued by the Board Officers from time to time.
16. This authorization shall have overriding effect on previous authorization granted on Dtd-05/05/2017.

For and on behalf of the
Maharashtra Pollution Control Board

(A. N. Katole)
Sub-Regional Officer,
M.P.C. Board, Bhandara.

To
The applicant,
Dr. Ratnakar M. Bandebuche
Sawli Nursing Home & Counselling Centre
Takiya Ward, Near Sai Temple Bhandara
Tal & Dist- Bhandara



Authorization Fees Received:-

Sr. No.	Amount (Rs.)	DR.No.	Date	Drawn on
1	5000/-	E-Payment	26/03/2018	--
2	3750/-	E-Payment	19/05/2018	--

Copy to: Regional Officer, MPCB, for information.


Principal
Poona Nursing College
Bhandara - 441501

HOSPITAL DETAILS

Name of the Hospital: **Sawali Nursing Home, BHANDARA**

Specialty: **Maternity Hospital**

Distance: 05 Kms.

No. of Beds	Gynecology	ANC Ward	PNC Ward	NICU	Private Room	No. of OPD per year	No. of IPD per year	No. of Deliveries / Year
50	10	10	20	3	8	6752	8315	379


Principal
Pooja Nursing College
Bhandara - 441904



महाराष्ट्र MAHARASHTRA

० 2021 ०

BD 496647

के. पी. भुरे } क्रमांक- 468,
स्टेम्प व्हेंडर भंडारा } किंमत- 500/- A. S. MURGE
ला. नं. 4/97-98 } दिनांक- 21/04/2021
मुद्रांकाचा उपयोग }
कोड नं. 8809008 } ५५२०५१

जिल्हा कोषागार कार्यालय, भंडारा.
पुरवण दिनांक
20 MAY 2021
पदनाम वनागिरे २१/५/२१
मुद्रांक प्रसिद्ध दिनांक

NOTARIAL REG
ENTRY NO. 1950
DATE 28/5/2021

Memorandum of Understanding

This Understanding between -

- 1) Bhondekar Sanskrutik Krida Va Samajik Sikshan Sanstha's, Pooja Nursing College (M.Sc. Nursing), Bhandara and

Director, Dr. Shrikant Deshmukh (MD Psychiatric) Manas Clinic and Baba Rehabilitation & De-Addiction Center, Amravati.



Principal
Pooja Nursing College
Bhandara - 441904



That, Student from M.Sc. Nursing of Pooja Nursing College, Kisan Chowk, Bank Colony, Sahakar Nagar, Bhandara are allowed to do Practical Nursing Training in Manas Clinic and Baba Rehabilitation & De-Addiction Center, Amravati. As per the agreement between both parties nursing students will be trained under expert supervision from the unit incharges of Manas Clinic and Baba Rehabilitation & De-Addiction Center, Amravati & Nursing faculty from Pooja Nursing College, Bhandara.

Manas Clinic and Baba Rehabilitation & De-Addiction Centre, Amravati is 85 bedded Hospital.

Date :- 21/05/2021


Place :-Amravati

J
 अध्यक्ष / सचिव
 भंडेकर सांस्कृतिक क्रीडा व समाजिक शिक्षण संस्था
 भंडारा - ४४११०४

1) President,
 Bhondekar Sanskrutik.Krida Va
 Samajik Sikshan Sanstha, Bhandara.
 Jaymalra. Ramesh chavare

2) Director, *Shrikant Deshmukh*
 Manas Clinic and Baba Rehabilitation &
 De-Addiction Center, Amravati

Dr. Shrikant Deshmukh
 Reg.No.36101 MDDPM (Mumbai)
 PSYCHIATRIST
 Joglekar Plot, Congress Nagar Road,
 AMRAVATI (M.S.) 444 606



ATTESTED

Jayant V. Varagade
JAYANT V. VARAGADE
 NOTARY
 BHANDARA (M.S.)
 INDIA.



Principal
 Pooja Nursing College
 Bhandara - 441904

AMRAVATI MUNICIPAL CORPORATION



FORM 'C'
(See Rule 5)

**CERTIFICATE OF REGISTRATION UNDER
SECTION 5 OF THE BOMBAY NURSING HOMES
REGISTRATION ACT, 1949**

No.-AMC/PHD/FW/NH/

This is to certify that Shri/Smt. Dr. Shrikant Babasaheb Deshmukh
has been registered under the Bombay Nursing Homes Registration Act, 1949 in
respect of Manas Clinic
situated at Joglekar plot Congress Nagar Road Amravati
and has been authorised to carry on the said nursing home.

Registration No. 288

Date of registration 1-9-2019

Place Joglekar plot Amravati.

Date of Issue of Certificate 4-9-2019

This certificate of registration shall be valid upto 31 March 2024

Dr. Shrikant Deshmukh
Reg No. 387
PS
Joglekar Plot
AMRAVATI
M.P.M. (Mumbai)
TRUST
Congress Nagar Road,
445 005



Municipal Corporation, Amravati.

Signature of the registering authority

Medical Officer of Health
Municipal Corporation, Amravati.

Principal
Pooja Nursing College
Bhandara - 441904

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 0721-2563593/94

Fax : 0721-2563597

Email : sroamravati1@mpcb.gov.in

Visit At : <http://mpcb.gov.in>

Sahakar Surbhi Bapatwadi,

Near Vivekanand Colony,

Amravati-444606

LETTER OF BIO-MEDICAL WASTE AUTHORISATION
[Authorisation for of Bio-Medical Wastes under See Rule 10]

(Authorisation for operating a facility for generation, collection, reception, treatment, storage, transport and disposal of biomedical waste)

I. File number of authorisation and date of issue
SRO-AMRAVATI I/BMW_AUTH/1809000388 dtd:-12.12.2020

II. M/s. Manas Hospital is hereby granted an authorisation for generation of biomedical waste on the premises situated Congress Nagar Road, Joglekar Plot, Amravati, Ta. & Dist. Amravati.

III. This authorisation shall be in force for a period up to 30/09/2024. an application shall be made by the occupier/operator for renewal 3 Months before expiry of earlier authorisation

IV. This authorisation is issued subject to compliance of the conditions stated below and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act, 1986

V. No of Beds: 85 beds

Terms and Conditions of authorisation

1. The authorisation shall comply with the provisions of the Environment (Protection) Act, 1986 and the rules made there under.
2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorized by the prescribed authority.
3. The personal authorized shall not rent, lend, sell, transfer or otherwise transport the biomedical wastes without obtaining prior permission of the prescribed authority
4. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.
5. It is the duty of the authorized person to take prior permission of the prescribed authority to close down the facility and such other terms and conditions may be stipulated by the prescribed authority.
6. The authorisation is granted for generation of Bio-Medical Waste (BMW) in waste categories and quantities listed here in below

Sr. No.	Category	Type of Waste	Quantity Generated or Collected Kg/Day	Method of Treatment and Disposal (Refer Schedule-I)


Principal

Pooja Nursing College
Bhandara - 441907


1	Yellow	a) Human Anatomical Waste	0.0 Kg/Month	Bio-medical Waste shall be sent to CBMWTSDF authorised by MPCB
		b) Animal Anatomical Waste	--	
		c) Soiled Waste	8.5 Kg/Month	
		d) Expired or Discarded Medicines	0.0 Kg/Month	
		e) Chemical Solid Waste	10.0 Kg/Month	
		f) Chemical Liquid Waste	20.0 Kg/Month	
		g) Discarded Linen, Mattresses, beddings contaminated with blood or body fluid.	5.5 Kg/Month	
		h) Microbiology, Biotechnology and other clinical laboratory waste	0.0 Kg/Month	
2	Red	Contaminated Waste (Recyclable)	---	Bio-medical Waste shall be sent to CBMWTSDF authorised by MPCB
3	White (Translucent)	Waste Sharps including Metals	2.5 Kg/Month	Bio-medical Waste shall be sent to CBMWTSDF authorised by MPCB
4	Blue	Glassware	---	Bio-medical Waste shall be sent to CBMWTSDF authorised by MPCB
		Metallic Body Implants		

7. The liquid/solid waste generated from the treatment activity (from laboratory and washing, cleaning, housekeeping and disinfecting activities) shall be treated suitably by providing effluent treatment facility to conform the standards prescribed in Schedule II of said Rules and the Environment (Protection) Act, 1986.

8. (i) BMW shall be treated and disposed of in accordance with Schedule I; and in compliance with the standards prescribed in Schedule II of said Rules.

(ii) You shall setup requisite BMW, treatment facilities like incinerator, autoclave / Microwave, shredder etc., at the disposal side in accordance with the BMW rules 2016. You shall disposed of the duly treated BMW and incineration ash in secured land fill site at your own premises / at MSW secured land fill site of Municipal Council authorized by MPCB and duly earmarked for disposal of treated BMW / at common H.W. treatment & disposal facility setup as per the Hazardous Waste (M & TM) Rules, 2016 as amended and authorized by MPCB.

(i) BMW shall not be mixed with other wastes or reused, recycled or sold in any form. BMW shall be segregated into containers / bags at the point of generation in accordance with Schedule-I prior to storage, treatment and disposal. The containers shall be labeled according to Schedule IV- Part-A. If a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the Label prescribed in Schedule IX, also carry


Principal
Pooja Nursing College
Bhandara - 441904

information prescribed in Schedule IV Part B and shall be transported by authorized Transporter only.

- (iv) Notwithstanding anything contained in the Motor Vehicles Act, 1988 or Rules there under, BMW shall be transported only in such vehicle as may be authorized for the purpose by the competent authority as specified by the Government.
- (v) Untreated human anatomical waste, animal anatomical waste, soiled waste and, biotechnology waste shall not be stored beyond a period of forty- eight hours:

Provided that in case for any reason it becomes necessary to store such waste beyond such a period, the occupier shall take appropriate measures to ensure that the waste does not adversely affect human health and the environment and inform the prescribed authority along with the reasons for doing so.

- (vi) Microbiology waste and all other clinical laboratory waste shall be pre-treated by sterilisation to Log 6 or disinfection to Log 4, as per the World Health Organisation guidelines before packing and sending to the common bio-medical waste treatment facility.


10. Standards for waste autoclaving:

The autoclave should be dedicated for the purposes of disinfecting and treating bio-medical waste,

- (I) When operating a gravity flow autoclave, medical waste shall be Subjected to:
 - (i) a temperature of not less than 121 C° and pressure of 15 pounds per Square inch (psi) for an autoclave residence time of not less than 60 minutes; or
 - (ii) a temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 45 minutes; or
 - (iii) a temperature of not less than 149 C° and a pressure of 52 psi for an autoclave residence time of not less than 30 minutes.
- (II) When operating a vacuum autoclave, medical waste shall be subjected to a minimum of one pre-vacuum pulse to purge the autoclave of all air. The waste shall be subjected to the following.
 - (i) a temperature of not less than 121 C° and a pressure of 15 psi for an autoclave residence time of not less than 45 minutes; or
 - (ii) a temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 30 minutes; or
- (III) Medical waste shall not be considered properly treated unless the time, temperature and pressure indicators indicate that the required time, temperature and pressure were reached during the autoclave process. If for any reasons, time temperature or pressure indicates that the required temperature, pressure or residence time was not reached, the entire load of medical waste must be autoclaved again until the proper temperature, pressure and residence time were achieved.

Recording of operational parameters.- Each autoclave shall have graphic or computer recording devices which will automatically and continuously monitor and record dates, time of day, load identification number and operating parameters throughout the entire length of the autoclave cycle.

- (V) *Validation test: Spore testing.* - The autoclave should completely and consistently kill the approved biological indicator at the maximum design capacity




of each autoclave unit. Biological indicator for autoclave shall be Bacillus stearothermophilus spores using vials or spore strips, with at least 1×10^4 spores per milliliter. Under no circumstances will an autoclave have minimum operating parameters less than a residence time of 30 minutes, regardless of temperature and pressure, a temperature less than 121 C° or a pressure, less than 15 psi.

- (VI) Routine Test.—A chemical indicator strip/tape that changes color when a certain temperature is reached can be used to verify that a specific temperature has been achieved. It may be necessary to use more than one strip over the waste package at different location to ensure that the inner content of the package has been adequately autoclaved.
11. Every 'Authorized Person' shall submit an Annual Report to the prescribed authority in Form-IV by 31st January every year including information about the categories and quantities of BMW handled during the preceding year.
- 12 (i) Every 'Authorized Person' shall maintain records related to the generation collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW for period of 5 years in accordance with these Rules and any guidelines issued.
- (ii) All records shall be subject to inspection and verification by the prescribed authority at any time.
13. Accident reporting – 1) In case of any major accident at any institution or facility or any other site while handling bio-medical waste, the authorized person shall intimate immediately to the prescribed authority about such accident and forward a report within twenty-four hours in writing regarding the remedial steps taken in Form I.
- 2) Information regarding all other accidents and remedial steps taken shall be provided in the annual report in accordance with rule 13 by the occupier.
14. Ensure treatment and disposal of liquid waste in accordance with Water (Prevention and Control of Pollution) Act, 1974 (6 of 1974) and comply Bio-Medical Waste Management Rules 2016.
15. The Occupier will obey all the lawful instructions issued by the Board Officers from time to time.



For and on behalf of the
Maharashtra Pollution Control Board


(S. D. Patil)
(Sub-Regional Officer, Amravati-I)

To
M/s. Manas Hospital
Congress Nagar Road, Joglekar Plot, Amravati,
Ta. & Dist. Amravati.

Authorization Fees Received:-

Sr. No.	Amount	Transaction No.	Date
1	1250.00	TXN1710000128	03-12-2019
2	20000.00	TXN1807000989	11-10-2020

Copy Submitted to -

1. The Chief Accounts Officer, MPCB Board Mumbai
2. The Principal Scientific Officer, MPCB, Sion Mumbai


Principal

Pooja Nursing College
Bhandara - 441906


Dr. Shrikant Deshmukh
Reg.No.36101 MDDPM (Mumbai)
PSYCHIATRIST
Joglekar Plot, Congress Nagar Road,
AMRAVATI (M.S.) 444 606

HOSPITAL DETAILS

Name of the Hospital: **Manas Hospital, Amravati**

Specialty: Mental Health

Distance: 220 Kms.

No. of Beds	Male	Female	Deaddiction	M.R.	Private	No. of OPD per year	No. of IPD per year	No. of ECT / Year
85	25	20	30	5	5	18750	2015	520


Principal
Dooja Nursing College
Shandara - 441904